



Measurement of W boson angular distributions in events with high transverse momentum jets at $\sqrt{s} = 8$ TeV using the ATLAS detector

The ATLAS Collaboration*



ARTICLE INFO

Article history:

Received 23 September 2016
 Received in revised form 30 November 2016
 Accepted 2 December 2016
 Available online 6 December 2016
 Editor: W.-D. Schlatter

ABSTRACT

The W boson angular distribution in events with high transverse momentum jets is measured using data collected by the ATLAS experiment from proton–proton collisions at a centre-of-mass energy $\sqrt{s} = 8$ TeV at the Large Hadron Collider, corresponding to an integrated luminosity of 20.3 fb^{-1} . The focus is on the contributions to $W + \text{jets}$ processes from real W emission, which is achieved by studying events where a muon is observed close to a high transverse momentum jet. At small angular separations, these contributions are expected to be large. Various theoretical models of this process are compared to the data in terms of the absolute cross-section and the angular distributions of the muon from the leptonic W decay.

© 2016 The Author. Published by Elsevier B.V. This is an open access article under the CC BY license (<http://creativecommons.org/licenses/by/4.0/>). Funded by SCOAP³.

1. Introduction

Precision measurements of Standard Model processes at the Large Hadron Collider (LHC) are crucial for probing the fundamental structure of the strong and electroweak interactions. The data sample corresponding to an integrated luminosity of 20.3 fb^{-1} collected by the ATLAS experiment from proton–proton (pp) collisions at a centre-of-mass energy $\sqrt{s} = 8$ TeV at the LHC allows detailed study of perturbative quantum chromodynamics (perturbative QCD, pQCD) and real and virtual electroweak (EW) corrections that impact measurements of $W + \text{jets}$ production.

At high energies, real emission of weak bosons in dijet events can contribute significantly to inclusive $W + \text{jets}$ measurements [1–5]. In leading-order (LO) calculations of $W + 1$ -jet production, the W boson is balanced by the recoil hadronic jet, often referred to as *back-to-back* production. At next-to-leading order (NLO), QCD and EW corrections to $W + 1$ -jet processes appear, both as real and virtual contributions. In the case of real W boson emission from an initial- or final-state quark, these contributions scale as $\mathcal{O}(\alpha \ln^2 p_{\text{T},j}/m_W)$, where α is the gauge coupling of the unified EW theory, $p_{\text{T},j}$ is the transverse momentum of the jet and m_W is the W boson mass, and have a collinear enhancement in the distribution of the angular distance between the W boson and the closest jet. The collinear enhancement arises from collinear and infrared divergences which would be present in the limit of

vanishing W boson mass, but which are regulated by its finite mass. The procedures to correctly account for collinear parton radiation, such as massless gluon emission, are well known and led to the introduction of (Sudakov) parton showering of the initial- and final-state partons in Monte Carlo generators for QCD as well as quantum electrodynamics (QED) contributions. An analogous procedure is available for the emission of real W bosons [6]. The effect of real W boson emission can be probed by isolating events for which the cancellation between real and virtual corrections is incomplete, for example by studying the region of small angular separation between a jet and the W boson. This region also contains LO contributions from $W + 2$ -jets, as well as corrections to that process, which must be included for accurate predictions.

Due to this complex mixture of $W + 1$ -jet and $W + 2$ -jet processes, and the relevant QCD and EW corrections to both, comparisons of measurements to predictions using multiple approaches for estimating those corrections are crucial. Comparisons of the measured angular spectra of the muon from the W boson with fixed-order predictions at NLO and next-to-next-to-leading-order (NNLO) and with programs with electroweak parton showers help in understanding the accuracy of these predictions.

The measurements presented here focus on events that contain a muon and a jet with transverse momentum $p_{\text{T}} > 500$ GeV. In this kinematic regime, contributions to $W + \text{jets}$ processes from real W boson emission are enhanced in the region of small angular separation between the W boson decay products and the closest jet. The angular separation is defined as the distance between the

* E-mail address: atlas.publications@cern.ch.

muon and the closest jet, $\Delta R(\mu, \text{jet}) = \sqrt{(\Delta\phi)^2 + (\Delta\eta)^2}$,¹ hereafter referred to as ΔR . Measurements of this angular separation thus provide precision tests of pQCD and electroweak predictions for the rate and pattern of real W boson emission. Real W boson emission, also termed collinear W production, is the dominant process for events with $\Delta R < 2.4$, and thus $\Delta R < 2.4$ is referred to as the collinear region. The significance of this higher-order contribution at small ΔR is shown in Ref. [5]. For events with $\Delta R > 2.4$, the W boson is balanced by a hadronic recoil that may consist of one or more jets.

These measurements of the ΔR distribution probe a new region of phase space that has not been explicitly studied in detail. Measurements of $W + \text{jets}$ production by both the ATLAS and CMS experiments often remove portions of the collinear region by requiring that the lepton (e or μ) is separated from any jet by an angular distance of $\Delta R > 0.5$ [7,8]. By relaxing this requirement to $\Delta R > 0.2$ and focusing on the distribution of angular separation between the muon and the closest jet in events with at least one very high p_T jet ($p_T > 500$ GeV), it is possible to explicitly target real W emission with this measurement.

Collinear W production may constitute an important background in searches for beyond the Standard Model physics that involve Lorentz-boosted top quarks [9], either in rare topologies or at high energies. If the W decay products are collinear with one of the jets, the structure of that jet can begin to resemble that of the three-pronged structure of a boosted top quark. While the rate for collinear W production is suppressed relative to di-jet production with no W emission, hadronic W decays can cause a large increase in the measured jet mass. The result is that W emission from quarks at very high p_T can yield single jets with definite substructure that resemble the boosted top-quark signals being searched for.

2. The ATLAS detector

The ATLAS detector [10,11] provides nearly full solid angle coverage around the pp collision point at the LHC.

The inner detector (ID) comprises a silicon pixel tracker closest to the beamline, a microstrip silicon tracker, and a straw-tube transition-radiation tracker at radii up to 108 cm. A thin solenoid surrounding the tracker provides a 2 T axial magnetic field enabling the measurement of charged-particle momenta. The overall ID acceptance spans the full azimuthal range in ϕ , and the range $|\eta| < 2.5$ for particles originating near the nominal LHC interaction region [12].

The electromagnetic (EM) and hadronic calorimeters are composed of multiple subdetectors spanning $|\eta| < 4.9$. The EM barrel calorimeter uses a liquid-argon (LAr) active medium, together with lead absorbers, and covers $|\eta| < 1.45$. In the region $|\eta| < 1.7$, the hadronic calorimeter is constructed from steel absorber and scintillator tiles and is separated into barrel ($|\eta| < 1.0$) and extended-barrel ($0.8 < |\eta| < 1.7$) sections. The endcap ($1.375 < |\eta| < 3.2$) and forward ($3.1 < |\eta| < 4.9$) regions are instrumented with LAr calorimeters for EM as well as hadronic energy measurements.

A muon spectrometer with three large air-core toroid magnet systems surrounds the calorimeters. The muon spectrometer measures the momentum of muons from their tracks, which are reconstructed with three layers of high-precision tracking chambers.

¹ ATLAS uses a right-handed coordinate system with its origin at the nominal interaction point (IP) in the centre of the detector and the z -axis along the beam pipe. The x -axis points from the IP to the centre of the LHC ring, and the y -axis points upward. Cylindrical coordinates (r, ϕ) are used in the transverse plane, ϕ being the azimuthal angle around the z -axis. The pseudorapidity is defined in terms of the polar angle θ as $\eta = -\ln \tan(\theta/2)$.

These chambers provide coverage in the range $|\eta| < 2.7$, while dedicated fast chambers allow triggering in the region $|\eta| < 2.4$.

A three-level trigger system is used to record events for analysis. The different parts of the trigger system are referred to as the Level-1 trigger, the Level-2 trigger, and the Event Filter [13]. The Level-1 trigger is implemented in hardware and uses a subset of detector information to reduce the event rate to a design value of at most 75 kHz. The Level-1 trigger is followed by two software-based triggers, the Level-2 trigger and the Event Filter, which together reduce the event rate to a few hundred Hz.

3. Data and simulated samples

The measurement presented here is based on the entire 2012 pp dataset at a centre-of-mass energy of $\sqrt{s} = 8$ TeV. Events are required to meet baseline quality criteria during stable LHC running periods. These data quality criteria primarily reject data with significant contamination from detector noise or issues in the read-out [14] based upon individual assessments for each subdetector. The resulting dataset corresponds to an integrated luminosity of 20.3 fb^{-1} . The absolute luminosity scale is derived from beam-separation scans performed in November 2012. The uncertainty in the integrated luminosity is $\pm 1.9\%$ [15].

Simulated events from Monte Carlo (MC) generators are used for calculating the signal efficiency and estimating background in the signal region. The events are simulated using a GEANT4-based [16] full detector simulation [17]. In addition to the hard scatter, each event is overlaid with a number of additional pp collisions (pile-up) extracted from the distribution of the average number of pp interactions per bunch crossing μ observed in data. These additional pp collisions are generated with PYTHIA v8.160 [18] using the ATLAS A2 set of tuned parameters (A2 tune) [19] and the MSTW2008LO parton distribution function (PDF) set [20].

Events containing $W + \text{jets}$ are generated with ALPGEN 2.14 [21], which implements MLM matching [22] of the matrix element calculation with parton showering. The W boson is produced as part of the matrix element calculations, allowing simulation of both collinear and back-to-back $W + \text{jets}$ production. In the latter, the W boson is balanced by the hadronic recoil system. The matrix elements provided by ALPGEN are configured to allow up to five partons in the final state in addition to the W boson, including heavy-flavour production as well. The generator is interfaced with PYTHIA v6.427 [23] for parton showering and fragmentation. The CTEQ6L1 PDF set [24] is used. A K -factor is applied to these samples to correct the normalisation to a NNLO pQCD inclusive cross-section calculated with FEWZ [25] and the MSTW2008NNLO PDF set. A sample of events is also generated with PYTHIA v8.210 and using the CT10 NLO PDF set [26] in which W boson radiation can be produced via a weak parton shower.

Dijet events are generated with PYTHIA v8.165. Top-quark pair production is simulated with POWHEG-r2129 [27–30] interfaced with PYTHIA v6.426 with the P2011C [31] tune for parton showering and fragmentation. Diboson production is simulated with MC@NLO v4.07 [32]. Additional samples of diboson production are generated using SHERPA v1.43 [33] and these are used to estimate theoretical uncertainties in the diboson background estimation. The above samples are all generated using the CT10 NLO PDF set. Events containing $Z + \text{jets}$ are generated with ALPGEN using the same configuration as the $W + \text{jets}$ simulation above. Single top-quark production is a negligible background for this analysis and is not included.

All samples are normalised to their calculated inclusive cross-sections. However, for the $W + \text{jets}$, dijets, $t\bar{t}$ and $Z + \text{jets}$ samples, there is an additional correction applied to the normalisation, derived from the comparison of data and Monte Carlo simulations in

the signal region and control regions. The process of deriving this correction is explained in detail in Section 4.

4. Object and event selections

4.1. Baseline event selection

The topology of collinear W production involves two back-to-back high- p_T jets, one of which emits a nearby W boson. Events are required to contain at least one jet with $p_T > 500$ GeV, as this is found to be sufficient to probe the kinematic region of interest. The probability of a collinear W emission from such a jet is estimated by PYTHIA v8.210 to be 0.15%. Over half of the production of $W + \text{jets}$ in the phase space probed in this measurement is in the collinear region. A requirement for a second high- p_T jet is not applied. Although both jets initially recoil from each other and have similar p_T , the jet that emits the collinear W boson can lose a significant amount of energy to the muon and neutrino, neither of which are reconstructed as part of the jet energy. Requiring a second high- p_T jet would impose an implicit maximum on the energy carried by the W boson and its decay products.

The analysis focuses on the leptonic decays of W bosons to muons in order to ensure a high reconstruction purity, and thus events are required to have exactly one muon. Events that contain an electron are rejected, which reduces the background by removing mixed-flavour dileptonic (electron plus muon) $t\bar{t}$ decays. Control regions are used to establish the normalisation of MC simulations of several background processes. These regions are defined by inverting various selection criteria used in the final measurement.

To reject non-collision background [34], events are required to contain at least one primary vertex consistent with the beam-interaction region, reconstructed from at least two tracks each with $p_T^{\text{track}} > 400$ MeV. The primary hard-scatter vertex is defined as the vertex with the highest $\sum(p_T^{\text{track}})^2$. To reject rare events contaminated by spurious signals in the detector, all anti- k_t [35,36] jets with radius parameter $R = 0.4$ and $p_T^{\text{jet}} > 20$ GeV (see below) are required to satisfy the loosest jet-quality requirements discussed in Ref. [34]. These criteria are designed to reject non-collision background and significant transient noise in the calorimeters while maintaining an efficiency for good-quality events greater than 99.8% with as high a rejection of contaminated events as possible. In particular, this selection is very efficient in rejecting events that contain fake jets due to calorimeter noise.

4.2. Trigger selection

Events used in this analysis are selected by requiring that they pass at least one of two single-muon triggers [37]. The first trigger requires an isolated muon with $p_T > 24$ GeV and the second trigger requires a muon with $p_T > 36$ GeV with no isolation criteria applied. The track-based isolation used in the trigger requires that the scalar sum of the p_T of all tracks within a cone of radius $\Delta R = 0.2$ around the muon is less than 12% of the muon p_T .

4.3. Object reconstruction

Muons are reconstructed by combining tracks in the ID with tracks in the muon spectrometer [38]. They are required to have $p_T > 25$ GeV and $|\eta| < 2.4$. To reduce contamination from semileptonic b -decays, in-flight pion and kaon decays and cosmic muons, their longitudinal impact parameter with respect to the primary vertex z_0 must satisfy $|z_0| \sin \theta < 0.5$ mm and their transverse impact parameter with respect to the primary vertex d_0 must satisfy

$|d_0|/\sigma(d_0) < 3$. The selected offline reconstructed muon must also match the online muon that passed the trigger.

Jets are built using the anti- k_t algorithm with a radius parameter of $R = 0.4$ from locally calibrated three-dimensional topological energy clusters [39]. The resulting jets are required to have $p_T > 100$ GeV and $|\eta| < 2.1$.

The number of b -tagged jets for a given event is calculated using the MV1 tagger [40] on jets built using the anti- k_t algorithm with $R = 0.4$. The jets considered for b -tagging have $p_T > 25$ GeV and are reconstructed within $|\eta| < 2.1$. The MV1 tagger is configured to have a b -tagging efficiency of 70% in semileptonic $t\bar{t}$ events.

Electrons are reconstructed from a combination of a calorimeter energy cluster and a matched ID track [41,42]. They must meet a set of identification criteria (the so-called *medium* criteria of Ref. [41]). They are also required to have $p_T > 20$ GeV and $|\eta| < 2.47$, excluding the transition region between the barrel and the endcap calorimeters ($1.37 < |\eta| < 1.52$). To reduce the contamination from semileptonic b -decays and misidentification, the same impact parameter requirements used for muons are applied along with an isolation requirement. This isolation is track-based and requires that the scalar sum of the p_T of all tracks in a cone of radius $\Delta R = 0.2$ around the electron be less than 15% of the electron p_T .

4.4. Measurement selection

To select the $W + \text{jets}$ signal, events are required to contain at least one jet with $p_T > 500$ GeV, exactly one muon, no b -tagged jets, a primary vertex and no electrons. Any additional jets with $p_T > 100$ GeV are included in the analysis. The leading jet, defined as the jet with the highest p_T , is not necessarily the one closest to the muon. The ΔR distance is always measured with respect to the closest jet. The muon is required to be isolated using both track-based and calorimeter-based isolation criteria. The track isolation requires that the scalar sum of the p_T of all tracks in a cone of radius $\Delta R = 0.2$ around the muon be less than 10% of the muon p_T . The calorimeter isolation requires that the scalar sum of the p_T in all calorimeter cells in a cone of radius $\Delta R = 0.2$ around the muon be less than 40% of the muon p_T . Applying these isolation criteria significantly reduces the background from dijet events, where muons mostly originate from heavy-flavour or in-flight decays and are non-isolated. The b -tag veto also reduces the background from $t\bar{t}$, which generates two b -quarks in their decay, by over 80%, while only 10% of the $W + \text{jets}$ signal is rejected. Requirements on missing transverse momentum were not found to improve the signal selection or background rejection. The efficiency of the isolation requirement was studied both in simulated samples and in situ using data events containing high- p_T top quarks, and the results from the two studies were in agreement. However, in the extremely collinear region, where the distance between the muon and the closest jet is $\Delta R < 0.2$, the limited size of the event sample did not allow the same conclusion. As a result, events where $\Delta R < 0.2$ are also excluded. This causes approximately 2% of the $W + \text{jets}$ signal to be rejected.

4.5. Control region definitions and background estimation

For the final state with at least one high- p_T jet and a single muon, the dominant background processes that contribute to the signal region are dijets, $t\bar{t}$ and $Z + \text{jets}$. In addition, there is a small background contribution from diboson production. These are all modelled using the simulated samples described in Section 3.

For each of the three main background processes, a control region utilising an event selection different from the signal region is defined such that most of the events in this control region are from




Fig. 1. Comparisons between data and the predicted distribution from MC simulations of the angular separation between the muon and the closest jet in Control Region 1 (left), Control Region 2 (right) and Control Region 3 (bottom). The lower panels show the ratio of data to the predicted distribution. The error bars correspond to the statistical uncertainty and the shaded error band corresponds to the systematic uncertainties. The dijet, $t\bar{t}$ and $Z + jets$ backgrounds have been scaled according to their respective control regions. The $W + jets$ signal has been scaled by 0.71.

the chosen background. Control Region 1 is enriched in dijets, with a 93% purity of dijet events, by applying the inverse of the signal region isolation selection. It uses events that pass the muon trigger without an isolation requirement and requires the muon to have $p_T > 38 \text{ GeV}$, as events with a non-isolated muon of lower p_T are mostly rejected by the trigger, together with a distance $\Delta R > 0.2$ between the muon and the closest jet. Control Region 2 is enriched in $t\bar{t}$, with 91% of events originating from $t\bar{t}$ production, by requiring at least two b -tagged jets. Control Region 3 is enriched in $Z + jets$, which constitute 94% of events in this region, by using events with exactly two muons, with both muons passing the signal region isolation. It is further required that the dimuon invariant mass in Control Region 3 satisfies $60 \text{ GeV} < m_{\mu\mu} < 120 \text{ GeV}$. In this case, the muon with the higher p_T is chosen to define ΔR .

Using data from these control regions and the signal region, a scale factor is derived for each main background process and the $W + jets$ signal to correct the normalisation of the MC sample to that observed in data. To ensure the scale factor is not affected by contamination from other backgrounds and the $W + jets$ signal, it is necessary to subtract the MC prediction for the con-

tamination from the control region data. As there is a circular dependency in using scaled MC predictions to derive new scalings, an iterative approach is applied. First, the scale factors are derived with the contamination subtracted using the uncorrected normalisations. Then the normalisations are updated with the scale factor corrections and the procedure to derive them is repeated. Since the contamination in each of the regions is quite small, the scale factors converge very rapidly. The dijet sample is scaled by 1.134 ± 0.054 , the $t\bar{t}$ sample is scaled by 0.861 ± 0.061 , the $Z + jets$ sample is scaled by 0.705 ± 0.052 and the $W + jets$ sample is scaled by 0.711 ± 0.016 . These uncertainties in the scale factors are due to the statistical uncertainty of the data and MC samples and are part of the overall uncertainties in the measurement detailed in Section 6. However, the uncertainty in the $W + jets$ scale factor has no effect on the results of the measurement. After the scale factors are applied, the MC predictions and observed distributions of the distance between the muon and the closest jet for each control region are shown in Fig. 1. The systematic uncertainties shown in Fig. 1 correspond to those described in Section 6.

Table 1

The systematic uncertainties in the cross-section measurement. Multiple independent components have been combined into groups of systematic uncertainties.

Systematic Source	$0.2 < \Delta R < 2.4$	$\Delta R > 2.4$	Inclusive
Scaling of dijets to data	0.4%	0.1%	0.3%
Scaling of $t\bar{t}$ to data	0.6%	0.2%	0.5%
Scaling of $Z + \text{jets}$ to data	0.6%	0.3%	0.5%
Jet energy scale	4.6%	5.8%	5.0%
b -tagging efficiency	3.7%	1.2%	2.9%
Data/MC disagreement for dijets	0.9%	0.6%	0.8%
Data/MC disagreement for $t\bar{t}$	1.2%	0.4%	1.0%
Data/MC disagreement for $Z + \text{jets}$	0.6%	1.5%	0.9%
Diboson background estimate	2.2%	0.1%	1.5%
Unfolding dependence on prior	1.1%	1.8%	1.3%
Muon momentum scale and resolution	0.0%	0.1%	0.1%
Muon reconstruction efficiency	0.4%	0.4%	0.4%
Muon trigger efficiency	2.0%	1.9%	1.9%
Jet energy resolution	0.6%	0.8%	0.6%
MC background statistical	2.4%	1.8%	2.3%
MC response statistical	1.7%	2.2%	1.9%
Total systematic (excluding luminosity)	7.6%	7.4%	7.3%
Luminosity	1.9%	2.0%	2.0%
Data statistical	2.7%	3.6%	2.2%

5. Definition of observable and correction for detector effects

The estimated background is subtracted from the data in the signal region and the resultant distribution of the distance ΔR between the muon and the closest jet is unfolded using an iterative Bayesian technique [43] to correct for detector effects including both the efficiency of the selection criteria and the resolution of the angular separation between the muon and the nearest jet, where the former effect is dominant. This technique is implemented within the RooUnfold framework [44]. A response matrix derived from MC simulation is used to correct the distribution from detector-level to particle-level. The particle-level prediction from MC simulation is used as an initial prior during the first iteration of the unfolding. Subsequent iterations use the previous iteration's unfolded distribution as a new prior. A single iteration step is used, as this was found to be the optimal choice that minimised the combination of statistical fluctuation and the bias introduced by the prior of unfolded results.

The detector response and the combined efficiency of the trigger, reconstruction and the analysis selection for the $W + \text{jets}$ signal is obtained from MC simulation. The fiducial selection applied to MC simulation is similar to the kinematic selection of the analysis. Particle-level jets, built from stable final-state particles (defined as those with a proper lifetime τ corresponding to $c\tau \geq 10$ mm [45]) excluding muons and neutrinos, must satisfy $p_T > 100$ GeV and $|\eta| < 2.1$. Events are required to have at least one particle-level jet with $p_T > 500$ GeV and a particle-level muon with a dressed² $p_T > 25$ GeV and $|\eta| < 2.4$. No requirements on promptness are applied to the muons or the dressing photons. Any additional muons that pass these requirements cause the event to be rejected. Events where the distance between the muon and the closest jet $\Delta R < 0.2$ are also rejected. Unlike the analysis selection, there are no requirements on b -jets or electrons for the fiducial selection.

The unfolding to the fiducial region also corrects for events that do not pass the particle-level selection, but pass the detector-level selection. Events in the fiducial signal region that arise from $W \rightarrow \tau\nu$ are also removed so that the cross-section is quoted exclusively for the muon decay channel.

6. Systematic uncertainties

The dominant systematic uncertainties in the cross-section measurement arise from the uncertainties in the jet energy scale and the b -tagging efficiency. For each systematic uncertainty, the selection criteria are re-applied, the control region normalisations are reassessed, and the unfolding procedure is repeated with the quantity under consideration varied by ± 1 standard deviation. The average of the up and down variations of the final cross-section measurement are summed in quadrature, as the variations are independent and not correlated. This sum is then used as the full systematic uncertainty. The systematic uncertainties in the measurement, grouped by source, are summarised in Table 1 for the inclusive cross-section, the collinear region ($0.2 < \Delta R < 2.4$) and the back-to-back region ($\Delta R > 2.4$).

Since the dijet, $t\bar{t}$ and $Z + \text{jets}$ simulated samples are scaled to data in their respective control regions, there is a systematic uncertainty in the scaling that arises from the statistical uncertainty in the data and the MC simulations in these control regions. As the control region for dijets does not have the same kinematic selection as the signal region, there could be some bias due to mismodelling of the dijet kinematics in the simulated sample. An uncertainty accounting for this is derived by varying the kinematic selection of the control region.

The uncertainty in the jet energy scale comprises 17 independent components [46]. Six of these are derived from various in situ analyses and two are related to the η intercalibration of the jets. There are also four components that account for the mismodelling of the p_T response with respect to pile-up and three topology components that account for the dependence of the p_T -response uncertainty on the relative fractions of jets initiated by light quarks, gluons and b -quarks.

To correct the b -tagging efficiency in simulation to that observed in data, scale factors derived from in situ analyses are applied to the simulated samples [47,48]. These have associated uncertainties. The uncertainties for b -, c - and τ -jets are assessed independently from those for light jets and the uncertainties in the efficiency scale factors are fully anti-correlated with those in the inefficiency scale factors.

In each control region, any disagreement between the ΔR distributions for data and MC simulations is taken as a systematic uncertainty for the ΔR prediction from that specific background in the signal region. This introduces an additional data-driven sys-

² Photons that are contained in a cone of size $\Delta R = 0.1$ around the muon are summed and included as part of the muon energy.

Table 2

The number of events in the signal region observed in data, along with the composition of these events as predicted by MC simulation, split by the distance between the muon and the closest jet. The dijet, $t\bar{t}$ and $Z + \text{jets}$ backgrounds have been scaled according to their respective control regions. The $W + \text{jets}$ signal has been scaled by 0.71.

Process	$0.2 < \Delta R < 2.4$	$\Delta R > 2.4$	Inclusive
Dijets	5%	2%	4%
$t\bar{t}$	7%	2%	5%
$Z + \text{jets}$	6%	4%	5%
Dibosons	2%	4%	3%
$W + \text{jets}$	80%	88%	82%
Data	1907	833	2740

tematic uncertainty to the dijet, $t\bar{t}$ and $Z + \text{jets}$ estimates for the ΔR distribution. Since the diboson background prediction is not constrained by data from a control region, an alternative prediction is obtained from a different simulated sample generated using SHERPA. The difference between these two predictions is taken as an uncertainty in the diboson background estimate.

The systematic uncertainty due to the dependence of the unfolding on the prior signal distribution, as obtained from MC simulations, is evaluated through a data-driven closure test. The simulated signal sample is reweighted at particle-level such that the distribution of the fully simulated detector-level ΔR more closely matches the observed data. This reweighted simulated detector-level distribution is then unfolded and compared with the reweighted particle-level distribution. Differences observed in this comparison are taken as a systematic uncertainty in the unfolding. The uncertainty due to the dependence on the number of unfolding iteration steps was negligible.

Other smaller uncertainty contributions arise from the uncertainty in the integrated luminosity, the uncertainties in the muon momentum scale and resolution, muon reconstruction efficiency and trigger efficiency and the uncertainties in the jet energy resolution [49]. Uncertainties in the electron energy scale and resolution were evaluated but found to be negligible.

7. Results

The number of events in the signal region observed in data is listed in Table 2, along with the composition of these events as predicted by MC simulation. Numbers are given for the collinear region ($0.2 < \Delta R < 2.4$), the back-to-back region ($\Delta R > 2.4$), and the inclusive sample. The uncorrected distributions of the reconstructed distance between the muon and the closest jet observed in data and predicted by MC simulations are shown in Fig. 2 for the signal region. In general the distributions agree within the uncertainties, except around $\Delta R = 2.8$ where there is a deficit and around the most collinear region of $\Delta R < 0.5$ where there is a slight excess in the prediction from MC simulations.

7.1. Differential cross-section measurement

The differential cross-section of $W \rightarrow \mu\nu$ as a function of $\Delta R(\mu, \text{closest jet})$, obtained from the unfolded data of the signal region, is shown in Fig. 3. The measured total cross-sections for the inclusive case, in the collinear region and the back-to-back region are also listed in Tables 3–5.

The measurements are compared to several theory predictions. The ALPGEN+PYTHIA6 $W + \text{jets}$ calculation and the normalisation K -factor used for this prediction are described in Section 3 and the quoted uncertainties are the statistical uncertainties. The $W + j$ and $jj + \text{weak shower}$ calculation provided by PYTHIA v8.210, described in Section 3, is shown as well. In this case, the W boson




Fig. 2. Predicted distribution from MC simulation of the angular separation between the muon and the closest jet and the observed distribution from data for the signal region. The lower panel shows the ratio of data to the predicted distribution. The error bars correspond to the statistical uncertainty and the shaded error band corresponds to the systematic uncertainties. The dijet, $t\bar{t}$ and $Z + \text{jets}$ backgrounds have been scaled according to their respective control regions. The $W + \text{jets}$ signal has been scaled by 0.71.




Fig. 3. Unfolded distribution from background-subtracted data of the angular separation between the muon and the closest jet in the signal region along with several predictions from theory calculations. The lower panels show the ratio of the theory predictions to the unfolded data. The error bars in the upper panel and the grey shaded error bands in the lower ratio panels are the sum of the statistical and systematic uncertainties in the measurement. The shaded error band on the ALPGEN+PYTHIA6 calculation is statistical uncertainty, the band on the PYTHIA8 calculation is statistical and PDF uncertainties and those on the SHERPA+OpenLoops and the $W + \geq 1$ jet N_{jett} NNLO calculations are scale uncertainties.

Table 3Cross-section for $W(\rightarrow \mu\nu) + \geq 1$ jet as measured in data and as predicted by various calculations.

Process	$\sigma(W(\rightarrow \mu\nu) + \geq 1 \text{ jet}) [\text{fb}]$
Data ($\sqrt{s} = 8 \text{ TeV}, 20.3 \text{ fb}^{-1}$)	$169.2 \pm 3.7 \text{ (stat.)} \pm 12.3 \text{ (syst.)} \pm 3.3 \text{ (lumi.)}$
ALPGEN+PYTHIA6 $W + \text{jets}$	$236.6 \pm 11 \text{ (stat.)}$
PYTHIA8 $W + j \& jj + \text{weak shower}$	$134.8 \pm 0.9 \text{ (stat.)} \pm 7.3 \text{ (pdf)}$
SHERPA+OpenLoops $W + j \& W + jj$	$183 \pm 25 \text{ (scale)}$
$W + \geq 1 \text{ jet } N_{\text{jetti}} \text{ NNLO}$	$181 \pm 14 \text{ (scale)}$

Table 4Cross-section for $W(\rightarrow \mu\nu) + \geq 1$ jet in the collinear ($0.2 < \Delta R < 2.4$) region as measured in data and as predicted by various calculations.

Process	$\sigma(W(\rightarrow \mu\nu) + \geq 1 \text{ jet}, 0.2 < \Delta R < 2.4) [\text{fb}]$
Data ($\sqrt{s} = 8 \text{ TeV}, 20.3 \text{ fb}^{-1}$)	$116.2 \pm 3.2 \text{ (stat.)} \pm 8.8 \text{ (syst.)} \pm 2.3 \text{ (lumi.)}$
ALPGEN+PYTHIA6 $W + \text{jets}$	$167.1 \pm 0.9 \text{ (stat.)}$
PYTHIA8 $W + j \& jj + \text{weak shower}$	$83.4 \pm 0.7 \text{ (stat.)} \pm 4.4 \text{ (pdf)}$
SHERPA+OpenLoops $W + j \& W + jj$	$128 \pm 20 \text{ (scale)}$
$W + \geq 1 \text{ jet } N_{\text{jetti}} \text{ NNLO}$	$123 \pm 9 \text{ (scale)}$

Table 5Cross-section for $W(\rightarrow \mu\nu) + \geq 1$ jet in the back-to-back ($\Delta R > 2.4$) region as measured in data and as predicted by various calculations.

Process	$\sigma(W(\rightarrow \mu\nu) + \geq 1 \text{ jet}, \Delta R > 2.4) [\text{fb}]$
Data ($\sqrt{s} = 8 \text{ TeV}, 20.3 \text{ fb}^{-1}$)	$53.0 \pm 1.9 \text{ (stat.)} \pm 3.9 \text{ (syst.)} \pm 1.0 \text{ (lumi.)}$
ALPGEN+PYTHIA6 $W + \text{jets}$	$69.5 \pm 0.6 \text{ (stat.)}$
PYTHIA8 $W + j \& jj + \text{weak shower}$	$51.4 \pm 0.6 \text{ (stat.)} \pm 2.9 \text{ (pdf)}$
SHERPA+OpenLoops $W + j \& W + jj$	$55 \pm 5 \text{ (scale)}$
$W + \geq 1 \text{ jet } N_{\text{jetti}} \text{ NNLO}$	$58 \pm 5 \text{ (scale)}$

can either be produced by the matrix elements of the $W + 1$ -jet final state or be emitted as electroweak final-state radiation in the parton shower of a dijet event. The quoted uncertainties are the sums of the statistical uncertainties and the uncertainties from the CT10 NLO PDF set. The data are compared to the nominal predictions from ALPGEN+PYTHIA6 and PYTHIA8.

The SHERPA+OpenLoops $W + j$ and $W + jj$ calculation incorporates NLO QCD and NLO EW corrections to both of these processes [50–55]. In the high- p_T regime of the analysis, the NLO EW corrections can have significant effects – up to 20% – across the ΔR distribution. A second-jet veto is applied to the $W + j$ NLO predictions and this is then combined with the $W + jj$ NLO predictions. The SHERPA+OpenLoops calculation also includes contributions from off-shell boson production and the sub-leading Born-level contributions ($O(\alpha^3)$ for $W + j$ and $O(\alpha_S \alpha^3)$ for $W + jj$). The NNPDF2.3QED NLO PDF [56] is used. Both the renormalisation and factorisation scales are set to $\mu_0 = 1/2 \left(\sqrt{m_{\mu\nu}^2 + (p_T^{\mu\nu})^2} + \sum_i p_T^{J_i} + \sum_i p_T^{\gamma_i} \right)$, where $m_{\mu\nu}$ and $p_T^{\mu\nu}$ are the mass and transverse momentum of the total four-momentum of the dressed muon and neutrino, $p_T^{J_i}$ is the transverse momentum of each jet, and $p_T^{\gamma_i}$ is the transverse momentum of each photon not used for dressing. The quoted uncertainties are the scale uncertainties, where the renormalisation scale and the factorisation scale have been varied independently by a factor of two.

An NNLO QCD calculation, which includes up to $O(\alpha_S^3)$, for the angular separation between the lepton from the W boson decay and the nearest jet in $W + \text{jets}$ events has recently become available [57,58]. This calculation, obtained from Ref. [5], is denoted ‘ $W + \geq 1 \text{ jet } N_{\text{jetti}} \text{ NNLO}$ ’ here. It uses a new technique based on N -jettiness [59] to split the phase space for the real emission corrections. It relies on the theoretical formalism provided in soft-collinear effective theory. The calculation uses the CT14 NNLO

Table 6Fiducial $W + \text{jets}$ cross-sections for the selection criteria of (1) at LO, NLO and NNLO in QCD from Ref. [5]. The uncertainties shown are the scale uncertainties.

	$\sigma_{\text{LO}} [\text{fb}]$	$\sigma_{\text{NLO}} [\text{fb}]$	$\sigma_{\text{NNLO}} [\text{fb}]$
8 TeV	57^{+13}_{-10}	160^{+35}_{-27}	187^{+5}_{-12}

PDF [60] and $\mu_0 = \sqrt{m_{\ell\nu}^2 + \sum_i (p_T^{J_i})^2}$, where $m_{\ell\nu}$ is the invariant mass of the lepton and neutrino and $p_T^{J_i}$ is the transverse momentum of each jet, is used for both the renormalisation and factorisation scale. The quoted uncertainties are the scale uncertainties, where the renormalisation scale and the factorisation scale have been varied independently by a factor of two. The resulting partonic final state is clustered using the anti- k_t jet algorithm with $R = 0.4$. No non-perturbative corrections are applied. The selections used in the calculation,

$$\begin{aligned} p_T^{\text{jet}} &> 100 \text{ GeV}, \quad |\eta^{\text{jet}}| < 2.1, \quad p_T^{\text{leading jet}} > 500 \text{ GeV}, \\ p_T^\ell &> 25 \text{ GeV}, \quad |\eta^\ell| < 2.5, \end{aligned} \quad (1)$$

are the same as the ones used for the measurement except for the muon pseudorapidity ($|\eta| < 2.5$ instead of $|\eta| < 2.4$). The effect of this difference in muon pseudorapidity is evaluated using the ALPGEN+PYTHIA6 $W + \text{jets}$ sample and a correction factor accounting for this, which is less than 4% across the entire distribution, is applied. The calculated cross-sections obtained at LO, NLO and NNLO without the muon pseudorapidity correction are shown in Table 6. The scale uncertainty decreases from $\sim \pm 20\%$ at NLO to $\pm 3\% - 7\%$ at NNLO.

The comparison of the data to ALPGEN+PYTHIA6 in Fig. 3 shows good shape agreement to within uncertainties, except at very low ΔR , but ALPGEN+PYTHIA6 predicts a significantly higher integrated cross-section. The comparison to PYTHIA8 at high ΔR , where it is dominated by back-to-back $W + \text{jets}$ production in




Fig. 4. Unfolded distribution from background-subtracted data of the angular separation between the muon and the closest jet for events with $500 \text{ GeV} < p_T^{\text{leading jet}} < 600 \text{ GeV}$ (blue circles) and $p_T^{\text{leading jet}} > 650 \text{ GeV}$ (red squares) from the signal region. Distributions are normalised to unity. The shaded error band on the unfolded measurement corresponds to the sum of the statistical and systematic uncertainties. (For interpretation of the references to colour in this figure legend, the reader is referred to the web version of this article.)

which the W boson is balanced by the hadronic recoil system, shows much better agreement. At smaller ΔR , where the collinear process dominates, neither the shape nor the overall cross-section agree. The comparisons to SHERPA+OpenLoops and $W + \geq 1$ jet N_{jetti} NNLO show much better agreement across the entire distribution.

7.2. Enhancement of the collinear fraction with jet p_T

The events in the signal region are further divided into two categories based on the transverse momentum of the leading jet: $500 \text{ GeV} < p_T^{\text{leading jet}} < 600 \text{ GeV}$ and $p_T^{\text{leading jet}} > 650 \text{ GeV}$. For each of these two categories, the data distribution is unfolded. The 50 GeV gap between the two categories reduces the migration of events from one category to the other during unfolding. The resulting normalised differential $W +$ jets cross-section is shown in Fig. 4. As the leading-jet p_T increases, the fraction of events in the lower ΔR (collinear) region increases and the fraction in the higher ΔR (back-to-back $W +$ jets) region decreases. This may be interpreted as an increase in the collinear W emission probability as the jets become more energetic. With higher p_T the collinear peak is shifted to smaller ΔR . This is also understood since the mass of the W boson becomes proportionally smaller compared to the energy of the jet. The full measurement results are shown in Fig. 5. The comparison to theory predictions shows results similar to the ones obtained for $p_T^{\text{leading jet}} > 500 \text{ GeV}$ in Section 7.1.

8. Conclusions

The cross-section for $W \rightarrow \mu\nu$ in association with at least one very high transverse momentum jet is measured as a function of the angular distance between the muon from the W boson decay and the closest jet. This measurement utilises data recorded by the ATLAS detector from pp collisions at $\sqrt{s} = 8 \text{ TeV}$ at the LHC, corresponding to 20.3 fb^{-1} of integrated luminosity. These results are relevant to understanding the contribution of real W emissions from high- p_T light partons to $W +$ jets processes.

Comparisons to a variety of MC generators and theoretical calculations show varying levels of agreement. ALPGEN+PYTHIA6 overestimates the total cross-section, whereas PYTHIA8, which is modified to explicitly include the process of W boson emission, disagrees with the measurement in the collinear region ($\Delta R <$

2.4). On the other hand, agreement with the SHERPA+OpenLoops NLO QCD+EW calculation and the $W + \geq 1$ jet N_{jetti} NNLO calculation in Ref. [5] is well within the systematic and statistical uncertainties of the predictions and the measurement.

This measurement has implications for Monte Carlo programs that incorporate real W boson emission, a process which is only just now being probed directly at the energy of the LHC. The rate of this process increases with jet p_T and thus also with centre-of-mass energy, and will therefore play a significant role in $W +$ jets measurements at high p_T , vector-boson scattering measurements, and even QCD multijet measurements at very large dijet invariant masses where the corrections due to real boson emission are significant.

Lastly, the potential is high for this process to mimic the signatures of a highly Lorentz-boosted top quark. The importance of such signatures in the search for new physics at the LHC necessitates a thorough understanding of processes such as the one measured in detail in this paper. As the physics programmes of the LHC experiments extend into new territories in terms of both the centre-of-mass energy and integrated luminosity, these once rare processes will become a ubiquitous consideration.

Acknowledgements

We thank CERN for the very successful operation of the LHC, as well as the support staff from our institutions without whom ATLAS could not be operated efficiently.

We acknowledge the support of ANPCyT, Argentina; YerPhI, Armenia; ARC, Australia; BMWFW and FWF, Austria; ANAS, Azerbaijan; SSTC, Belarus; CNPq and FAPESP, Brazil; NSERC, NRC and CFI, Canada; CERN; CONICYT, Chile; CAS, MOST and NSFC, China; COLCIENCIAS, Colombia; MSMT CR, MPO CR and VSC CR, Czech Republic; DNRF and DNSRC, Denmark; IN2P3-CNRS, CEA-DSM/IRFU, France; GNSF, Georgia; BMBF, HGF, and MPG, Germany; GSRT, Greece; RGC, UGC, Hong Kong SAR, China; ISF, I-CORE and Benoziyo Center, Israel; INFN, Italy; MEXT and JSPS, Japan; CNRST, Morocco; FOM and NWO, Netherlands; RCN, Norway; MNiSW and NCN, Poland; FCT, Portugal; MNE/IFA, Romania; MES of Russia and NRC KI, Russian Federation; JINR; MESTD, Serbia; MSSR, Slovakia; ARRS and MIZŠ, Slovenia; DST/NRF, South Africa; MINECO, Spain; SRC and Knut and Alice Wallenberg Foundation, Sweden; SERI, SNSF and Cantons of Bern and Geneva, Switzerland; MOST, Taiwan; TAEK, Turkey; STFC, United Kingdom; DOE and NSF, United States. In addition, individual groups and members have received support from BCKDF, the Canada Council, CANARIE, CRC, Compute Canada, FQRNT, and the Ontario Innovation Trust, Canada; EPLANET, ERC, FP7, Horizon 2020 and Marie Skłodowska-Curie Actions, European Union; Investissements d’Avenir Labex and Idex, ANR, Région Auvergne and Fondation Partager le Savoir, France; DFG and AvH Foundation, Germany; Herakleitos, Thales and Aristeia programmes co-financed by EU-ESF and the Greek NSRF; BSF, GIF and Minerva, Israel; BRF, Norway; Generalitat de Catalunya, Generalitat Valenciana, Spain; the Royal Society and Leverhulme Trust, United Kingdom.

The crucial computing support from all WLCG partners is acknowledged gratefully, in particular from CERN, the ATLAS Tier-1 facilities at TRIUMF (Canada), NDGF (Denmark, Norway, Sweden), CC-IN2P3 (France), KIT/GridKA (Germany), INFN-CNAF (Italy), NL-T1 (Netherlands), PIC (Spain), ASGC (Taiwan), RAL (UK) and BNL (USA), the Tier-2 facilities worldwide and large non-WLCG resource providers. Major contributors of computing resources are listed in Ref. [61].




Fig. 5. Unfolded distribution from background-subtracted data of the angular separation between the muon and the closest jet in the signal region along with several predictions from theory calculations for events with (a) $500 \text{ GeV} < p_T^{\text{leading jet}} < 600 \text{ GeV}$ and (b) $p_T^{\text{leading jet}} > 650 \text{ GeV}$. The lower panels show the ratio of the theory predictions to the unfolded data. The error bars in the upper panel and the grey shaded error bands in the lower ratio panels are the sum of the statistical and systematic uncertainties in the measurement. The shaded error band on the ALPGEN+PYTHIA6 calculation is statistical uncertainty, the band on the PYTHIA8 calculation is statistical and PDF uncertainties and the band on the SHERPA+OpenLoops is scale uncertainty.

References

- [1] U. Baur, Weak boson emission in hadron collider processes, Phys. Rev. D 75 (2007) 013005, arXiv:hep-ph/0611241.
- [2] J.R. Christiansen, T. Sjöstrand, Weak gauge boson radiation in parton showers, J. High Energy Phys. 04 (2014) 115, arXiv:1401.5238 [hep-ph].
- [3] F. Krauss, P. Petrov, M. Schönher, M. Spannowsky, Measuring collinear W emissions inside jets, Phys. Rev. D 89 (2014) 114006, arXiv:1403.4788 [hep-ph].
- [4] R. Boughezal, C. Focke, X. Liu, Jet vetoes versus giant K -factors in the exclusive $Z + 1\text{-jet}$ cross section, Phys. Rev. D 92 (2015) 094002, arXiv:1501.01059 [hep-ph].
- [5] R. Boughezal, X. Liu, F. Petriello, W -boson plus jet differential distributions at NNLO in QCD, arXiv:1602.06965 [hep-ph].
- [6] J.R. Christiansen, S. Prestel, Merging weak and QCD showers with matrix elements, Eur. Phys. J. C 76 (2016) 39, arXiv:1510.01517 [hep-ph].
- [7] ATLAS Collaboration, Measurements of the W production cross sections in association with jets with the ATLAS detector, Eur. Phys. J. C 75 (2015) 82, arXiv:1409.8639 [hep-ex].
- [8] CMS Collaboration, Differential cross section measurements for the production of a W boson in association with jets in proton–proton collisions at $\sqrt{s} = 7 \text{ TeV}$, Phys. Lett. B 741 (2015) 12, arXiv:1406.7533 [hep-ex].
- [9] K. Rehermann, B. Tweedie, Efficient identification of boosted semileptonic top quarks at the LHC, J. High Energy Phys. 03 (2011) 059, arXiv:1007.2221 [hep-ph].
- [10] ATLAS Collaboration, The ATLAS experiment at the CERN large hadron collider, J. Instrum. 3 (2008) S08003.
- [11] ATLAS Collaboration, Performance of the ATLAS detector using first collision data, J. High Energy Phys. 09 (2010) 056, arXiv:1005.5254 [hep-ex].
- [12] ATLAS Collaboration, Charged-particle multiplicities in pp interactions measured with the ATLAS detector at the LHC, New J. Phys. 13 (2011) 053033, arXiv:1012.5104 [hep-ex].
- [13] ATLAS Collaboration, Performance of the ATLAS Trigger System in 2010, Eur. Phys. J. C 72 (2012) 1849, arXiv:1110.1530 [hep-ex].
- [14] ATLAS Collaboration, Monitoring and data quality assessment of the ATLAS liquid argon calorimeter, J. Instrum. 9 (2014) P07024, arXiv:1405.3768 [hep-ex].
- [15] ATLAS Collaboration, Luminosity determination in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ using the ATLAS detector at the LHC, arXiv:1608.03953 [hep-ex].
- [16] GEANT4 Collaboration, S. Agostinelli, et al., GEANT4: a simulation toolkit, Nucl. Instrum. Methods A 506 (2003) 250.
- [17] ATLAS Collaboration, The ATLAS simulation infrastructure, Eur. Phys. J. C 70 (2010) 823, arXiv:1005.4568 [physics.ins-det].
- [18] T. Sjöstrand, S. Mrenna, P.Z. Skands, A brief introduction to PYTHIA 8.1, Comput. Phys. Commun. 178 (2008) 852, arXiv:0710.3820 [hep-ph].
- [19] ATLAS Collaboration, Summary of ATLAS Pythia 8 tunes, ATL-PHYS-PUB-2012-003, <http://cds.cern.ch/record/1474107>, 2012.
- [20] A.D. Martin, W.J. Stirling, R.S. Thorne, G. Watt, Parton distributions for the LHC, Eur. Phys. J. C 63 (2009) 189, arXiv:0901.0002 [hep-ph].
- [21] M.L. Mangano, F. Piccinini, A.D. Polosa, M. Moretti, R. Pittau, ALPGEN, a generator for hard multiparton processes in hadronic collisions, J. High Energy Phys. 07 (2003) 001, arXiv:hep-ph/0206293.
- [22] M.L. Mangano, M. Moretti, F. Piccinini, M. Treccani, Matching matrix elements and shower evolution for top-quark production in hadronic collisions, J. High Energy Phys. 01 (2007) 013, arXiv:hep-ph/0611129.
- [23] T. Sjöstrand, S. Mrenna, P.Z. Skands, PYTHIA 6.4 physics and manual, J. High Energy Phys. 05 (2006) 026, arXiv:hep-ph/0603175.
- [24] J. Pumplin, et al., New generation of parton distributions with uncertainties from global QCD analysis, J. High Energy Phys. 07 (2002) 012, arXiv:hep-ph/0201195.
- [25] K. Melnikov, F. Petriello, Electroweak gauge boson production at hadron colliders through $\mathcal{O}(\alpha_s^2)$, Phys. Rev. D 74 (2006) 114017, arXiv:hep-ph/0609070.
- [26] H.-L. Lai, et al., New parton distributions for collider physics, Phys. Rev. D 82 (2010) 074024, arXiv:1007.2241 [hep-ph].
- [27] P. Nason, A new method for combining NLO QCD with shower Monte Carlo algorithms, J. High Energy Phys. 11 (2004) 040, arXiv:hep-ph/0409146.
- [28] S. Frixione, P. Nason, C. Oleari, Matching NLO QCD computations with Parton Shower simulations: the POWHEG method, J. High Energy Phys. 11 (2007) 070, arXiv:0709.2092 [hep-ph].
- [29] S. Alioli, P. Nason, C. Oleari, E. Re, A general framework for implementing NLO calculations in shower Monte Carlo programs: the POWHEG BOX, J. High Energy Phys. 06 (2010) 043, arXiv:1002.2581 [hep-ph].

- [30] S. Frixione, P. Nason, G. Ridolfi, A positive-weight next-to-leading-order Monte Carlo for heavy flavour hadroproduction, *J. High Energy Phys.* 09 (2007) 126, arXiv:0707.3088 [hep-ph].
- [31] P.Z. Skands, Tuning Monte Carlo generators: the Perugia tunes, *Phys. Rev. D* 82 (2010) 074018, arXiv:1005.3457 [hep-ph].
- [32] S. Frixione, B.R. Webber, Matching NLO QCD computations and parton shower simulations, *J. High Energy Phys.* 06 (2002) 029, arXiv:hep-ph/0204244.
- [33] T. Gleisberg, et al., Event generation with SHERPA 1.1, *J. High Energy Phys.* 02 (2009) 007, arXiv:0811.4622 [hep-ph].
- [34] ATLAS Collaboration, Characterisation and mitigation of beam-induced backgrounds observed in the ATLAS detector during the 2011 proton–proton run, *J. Instrum.* 8 (2013) P07004, arXiv:1303.0223 [hep-ex].
- [35] M. Cacciari, G.P. Salam, Dispelling the N^3 myth for the k_t jet-finder, *Phys. Lett. B* 641 (2006) 57, arXiv:hep-ph/0512210.
- [36] M. Cacciari, G.P. Salam, G. Soyez, The anti- k_t jet clustering algorithm, *J. High Energy Phys.* 04 (2008) 063, arXiv:0802.1189 [hep-ph].
- [37] ATLAS Collaboration, Performance of the ATLAS muon trigger in pp collisions at $\sqrt{s} = 8$ TeV, *Eur. Phys. J. C* 75 (2015) 120, arXiv:1408.3179 [hep-ex].
- [38] ATLAS Collaboration, Measurement of the muon reconstruction performance of the ATLAS detector using 2011 and 2012 LHC proton–proton collision data, *Eur. Phys. J. C* 74 (2014) 3130, arXiv:1407.3935 [hep-ex].
- [39] ATLAS Collaboration, Topological cell clustering in the ATLAS calorimeters and its performance in LHC Run 1, arXiv:1603.02934 [hep-ex].
- [40] ATLAS Collaboration, Performance of b -jet identification in the ATLAS experiment, *J. Instrum.* 11 (2016) P04008, arXiv:1512.01094 [hep-ex].
- [41] ATLAS Collaboration, Electron reconstruction and identification efficiency measurements with the ATLAS detector using the 2011 LHC proton–proton collision data, *Eur. Phys. J. C* 74 (2014) 2941, arXiv:1404.2240 [hep-ex].
- [42] ATLAS Collaboration, Electron and photon energy calibration with the ATLAS detector using LHC Run 1 data, *Eur. Phys. J. C* 74 (2014) 3071, arXiv:1407.5063 [hep-ex].
- [43] G. D’Agostini, Improved iterative Bayesian unfolding, arXiv:1010.0632 [physics.data-an].
- [44] T. Adye, R. Claridge, K. Tackmann, F. Wilson, RooUnfold: ROOT unfolding framework, <http://hepunx.rl.ac.uk/~adye/software/unfold/RooUnfold.html>.
- [45] C. Buttar, et al., Standard model handles and candles working group: tools and jets summary report, arXiv:0803.0678 [hep-ph].
- [46] ATLAS Collaboration, Jet energy measurement and its systematic uncertainty in proton–proton collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector, *Eur. Phys. J. C* 75 (2015) 17, arXiv:1406.0076 [hep-ex].
- [47] ATLAS Collaboration, Calibration of the performance of b -tagging for c and light-flavour jets in the 2012 ATLAS data, ATLAS-CONF-2014-046, <https://cds.cern.ch/record/1741020>, 2014.
- [48] ATLAS Collaboration, Calibration of b -tagging using dileptonic top pair events in a combinatorial likelihood approach with the ATLAS experiment, ATLAS-CONF-2014-004, <https://cds.cern.ch/record/1664335>, 2014.
- [49] ATLAS Collaboration, Jet energy resolution in proton–proton collisions at $\sqrt{s} = 7$ TeV recorded in 2010 with the ATLAS detector, *Eur. Phys. J. C* 73 (2013) 2306, arXiv:1210.6210 [hep-ex].
- [50] S. Kallweit, J.M. Lindert, P. Maierhöfer, S. Pozzorini, M. Schönher, NLO QCD+EW predictions for $V +$ jets including off-shell vector-boson decays and multijet merging, *J. High Energy Phys.* 04 (2016) 021, arXiv:1511.08692 [hep-ph].
- [51] S. Kallweit, J.M. Lindert, P. Maierhöfer, S. Pozzorini, M. Schönher, NLO electroweak automation and precise predictions for $W +$ multijet production at the LHC, *J. High Energy Phys.* 04 (2015) 012, arXiv:1412.5157 [hep-ph].
- [52] F. Krauss, R. Kuhn, G. Sof, AMEGIC++ 1.0: a matrix element generator in C++, *J. High Energy Phys.* 02 (2002) 044, arXiv:hep-ph/0109036.
- [53] T. Gleisberg, F. Krauss, Automating dipole subtraction for QCD NLO calculations, *Eur. Phys. J. C* 53 (2008) 501, arXiv:0709.2881 [hep-ph].
- [54] F. Cascioli, P. Maierhöfer, S. Pozzorini, Scattering amplitudes with open loops, *Phys. Rev. Lett.* 108 (2012) 111601, arXiv:1111.5206 [hep-ph].
- [55] A. Denner, S. Dittmaier, L. Hofer, COLLIER – a fortran-library for one-loop integrals, PoS LL2014 (2014) 071, arXiv:1407.0087 [hep-ph].
- [56] NNPDF Collaboration, R.D. Ball, et al., Parton distributions with QED corrections, *Nucl. Phys. B* 877 (2013) 290, arXiv:1308.0598 [hep-ph].
- [57] R. Boughezal, C. Focke, X. Liu, F. Petriello, W -boson production in association with a jet at next-to-next-to-leading order in perturbative QCD, *Phys. Rev. Lett.* 115 (2015) 062002, arXiv:1504.02131 [hep-ph].
- [58] R. Boughezal, X. Liu, F. Petriello, A comparison of NNLO QCD predictions with 7 TeV ATLAS and CMS data for $V +$ jet processes, *Phys. Lett. B* 760 (2016) 6, arXiv:1602.05612 [hep-ph].
- [59] J.R. Gaunt, M. Stahlhofen, F.J. Tackmann, J.R. Walsh, N -jettiness subtractions for NNLO QCD calculations, *J. High Energy Phys.* 09 (2015) 058, arXiv:1505.04794 [hep-ph].
- [60] S. Dulat, et al., New parton distribution functions from a global analysis of quantum chromodynamics, *Phys. Rev. D* 93 (2016) 033006, arXiv:1506.07443 [hep-ph].
- [61] ATLAS Collaboration, ATLAS computing acknowledgements 2016–2017, ATL-GEN-PUB-2016–ATL-GEN-PUB-002, <http://cds.cern.ch/record/2202407>.

The ATLAS Collaboration

M. Aaboud ^{136d}, G. Aad ⁸⁷, B. Abbott ¹¹⁴, J. Abdallah ⁸, O. Abdinov ¹², B. Abelsoos ¹¹⁸, R. Aben ¹⁰⁸, O.S. AbouZeid ¹³⁸, N.L. Abraham ¹⁵², H. Abramowicz ¹⁵⁶, H. Abreu ¹⁵⁵, R. Abreu ¹¹⁷, Y. Abulaiti ^{149a,149b}, B.S. Acharya ^{168a,168b,a}, S. Adachi ¹⁵⁸, L. Adamczyk ^{40a}, D.L. Adams ²⁷, J. Adelman ¹⁰⁹, S. Adomeit ¹⁰¹, T. Adye ¹³², A.A. Affolder ⁷⁶, T. Agatonovic-Jovin ¹⁴, J.A. Aguilar-Saavedra ^{127a,127f}, S.P. Ahlen ²⁴, F. Ahmadov ^{67,b}, G. Aielli ^{134a,134b}, H. Akerstedt ^{149a,149b}, T.P.A. Åkesson ⁸³, A.V. Akimov ⁹⁷, G.L. Alberghi ^{22a,22b}, J. Albert ¹⁷³, S. Albrand ⁵⁷, M.J. Alconada Verzini ⁷³, M. Aleksa ³², I.N. Aleksandrov ⁶⁷, C. Alexa ^{28b}, G. Alexander ¹⁵⁶, T. Alexopoulos ¹⁰, M. Alhroob ¹¹⁴, B. Ali ¹²⁹, M. Aliev ^{75a,75b}, G. Alimonti ^{93a}, J. Alison ³³, S.P. Alkire ³⁷, B.M.M. Allbrooke ¹⁵², B.W. Allen ¹¹⁷, P.P. Allport ¹⁹, A. Aloisio ^{105a,105b}, A. Alonso ³⁸, F. Alonso ⁷³, C. Alpigiani ¹³⁹, A.A. Alshehri ⁵⁵, M. Alstaty ⁸⁷, B. Alvarez Gonzalez ³², D. Álvarez Piqueras ¹⁷¹, M.G. Alvaggi ^{105a,105b}, B.T. Amadio ¹⁶, K. Amako ⁶⁸, Y. Amaral Coutinho ^{26a}, C. Amelung ²⁵, D. Amidei ⁹¹, S.P. Amor Dos Santos ^{127a,127c}, A. Amorim ^{127a,127b}, S. Amoroso ³², G. Amundsen ²⁵, C. Anastopoulos ¹⁴², L.S. Ancu ⁵¹, N. Andari ¹⁹, T. Andeen ¹¹, C.F. Anders ^{60b}, G. Anders ³², J.K. Anders ⁷⁶, K.J. Anderson ³³, A. Andreazza ^{93a,93b}, V. Andrei ^{60a}, S. Angelidakis ⁹, I. Angelozzi ¹⁰⁸, A. Angerami ³⁷, F. Anghinolfi ³², A.V. Anisenkov ^{110,c}, N. Anjos ¹³, A. Annovi ^{125a,125b}, C. Antel ^{60a}, M. Antonelli ⁴⁹, A. Antonov ^{99,*}, F. Anulli ^{133a}, M. Aoki ⁶⁸, L. Aperio Bella ¹⁹, G. Arabidze ⁹², Y. Arai ⁶⁸, J.P. Araque ^{127a}, A.T.H. Arce ⁴⁷, F.A. Arduh ⁷³, J-F. Arguin ⁹⁶, S. Argyropoulos ⁶⁵, M. Arik ^{20a}, A.J. Armbruster ¹⁴⁶, L.J. Armitage ⁷⁸, O. Arnaez ³², H. Arnold ⁵⁰, M. Arratia ³⁰, O. Arslan ²³, A. Artamonov ⁹⁸, G. Artoni ¹²¹, S. Artz ⁸⁵, S. Asai ¹⁵⁸, N. Asbah ⁴⁴, A. Ashkenazi ¹⁵⁶, B. Åsman ^{149a,149b}, L. Asquith ¹⁵², K. Assamagan ²⁷, R. Astalos ^{147a}, M. Atkinson ¹⁷⁰, N.B. Atlay ¹⁴⁴, K. Augsten ¹²⁹, G. Avolio ³², B. Axen ¹⁶, M.K. Ayoub ¹¹⁸, G. Azuelos ^{96,d}, M.A. Baak ³², A.E. Baas ^{60a}, M.J. Baca ¹⁹, H. Bachacou ¹³⁷, K. Bachas ^{75a,75b}, M. Backes ¹²¹, M. Backhaus ³², P. Bagiacchi ^{133a,133b}, P. Bagnaia ^{133a,133b}, Y. Bai ^{35a}, J.T. Baines ¹³², O.K. Baker ¹⁸⁰, E.M. Baldin ^{110,c}, P. Balek ¹⁷⁶, T. Balestrieri ¹⁵¹, F. Balli ¹³⁷, W.K. Balunas ¹²³,

- E. Banas ⁴¹, Sw. Banerjee ^{177,e}, A.A.E. Bannoura ¹⁷⁹, L. Barak ³², E.L. Barberio ⁹⁰, D. Barberis ^{52a,52b}, M. Barbero ⁸⁷, T. Barillari ¹⁰², M-S Barisits ³², T. Barklow ¹⁴⁶, N. Barlow ³⁰, S.L. Barnes ⁸⁶, B.M. Barnett ¹³², R.M. Barnett ¹⁶, Z. Barnovska-Blenessy ⁵⁹, A. Baroncelli ^{135a}, G. Barone ²⁵, A.J. Barr ¹²¹, L. Barranco Navarro ¹⁷¹, F. Barreiro ⁸⁴, J. Barreiro Guimaraes da Costa ^{35a}, R. Bartoldus ¹⁴⁶, A.E. Barton ⁷⁴, P. Bartos ^{147a}, A. Basalaev ¹²⁴, A. Bassalat ^{118,f}, R.L. Bates ⁵⁵, S.J. Batista ¹⁶², J.R. Batley ³⁰, M. Battaglia ¹³⁸, M. Bauce ^{133a,133b}, F. Bauer ¹³⁷, H.S. Bawa ^{146,g}, J.B. Beacham ¹¹², M.D. Beattie ⁷⁴, T. Beau ⁸², P.H. Beauchemin ¹⁶⁶, P. Bechtle ²³, H.P. Beck ^{18,h}, K. Becker ¹²¹, M. Becker ⁸⁵, M. Beckingham ¹⁷⁴, C. Becot ¹¹¹, A.J. Beddall ^{20e}, A. Beddall ^{20b}, V.A. Bednyakov ⁶⁷, M. Bedognetti ¹⁰⁸, C.P. Bee ¹⁵¹, L.J. Beemster ¹⁰⁸, T.A. Beermann ³², M. Begel ²⁷, J.K. Behr ⁴⁴, C. Belanger-Champagne ⁸⁹, A.S. Bell ⁸⁰, G. Bella ¹⁵⁶, L. Bellagamba ^{22a}, A. Bellerive ³¹, M. Bellomo ⁸⁸, K. Belotskiy ⁹⁹, O. Beltramello ³², N.L. Belyaev ⁹⁹, O. Benary ^{156,*}, D. Benchekroun ^{136a}, M. Bender ¹⁰¹, K. Bendtz ^{149a,149b}, N. Benekos ¹⁰, Y. Benhammou ¹⁵⁶, E. Benhar Noccioli ¹⁸⁰, J. Benitez ⁶⁵, D.P. Benjamin ⁴⁷, J.R. Bensinger ²⁵, S. Bentvelsen ¹⁰⁸, L. Beresford ¹²¹, M. Beretta ⁴⁹, D. Berge ¹⁰⁸, E. Bergeaas Kuutmann ¹⁶⁹, N. Berger ⁵, J. Beringer ¹⁶, S. Berlendis ⁵⁷, N.R. Bernard ⁸⁸, C. Bernius ¹¹¹, F.U. Bernlochner ²³, T. Berry ⁷⁹, P. Berta ¹³⁰, C. Bertella ⁸⁵, G. Bertoli ^{149a,149b}, F. Bertolucci ^{125a,125b}, I.A. Bertram ⁷⁴, C. Bertsche ⁴⁴, D. Bertsche ¹¹⁴, G.J. Besjes ³⁸, O. Bessidskaia Bylund ^{149a,149b}, M. Bessner ⁴⁴, N. Besson ¹³⁷, C. Betancourt ⁵⁰, A. Bethani ⁵⁷, S. Bethke ¹⁰², A.J. Bevan ⁷⁸, R.M. Bianchi ¹²⁶, L. Bianchini ²⁵, M. Bianco ³², O. Biebel ¹⁰¹, D. Biedermann ¹⁷, R. Bielski ⁸⁶, N.V. Biesuz ^{125a,125b}, M. Biglietti ^{135a}, J. Bilbao De Mendizabal ⁵¹, T.R.V. Billoud ⁹⁶, H. Bilokon ⁴⁹, M. Bindi ⁵⁶, S. Binet ¹¹⁸, A. Bingul ^{20b}, C. Bini ^{133a,133b}, S. Biondi ^{22a,22b}, T. Bisanz ⁵⁶, D.M. Bjergaard ⁴⁷, C.W. Black ¹⁵³, J.E. Black ¹⁴⁶, K.M. Black ²⁴, D. Blackburn ¹³⁹, R.E. Blair ⁶, J.-B. Blanchard ¹³⁷, T. Blazek ^{147a}, I. Bloch ⁴⁴, C. Blocker ²⁵, A. Blue ⁵⁵, W. Blum ^{85,*}, U. Blumenschein ⁵⁶, S. Blunier ^{34a}, G.J. Bobbink ¹⁰⁸, V.S. Bobrovnikov ^{110,c}, S.S. Bocchetta ⁸³, A. Bocci ⁴⁷, C. Bock ¹⁰¹, M. Boehler ⁵⁰, D. Boerner ¹⁷⁹, J.A. Bogaerts ³², D. Bogavac ¹⁴, A.G. Bogdanchikov ¹¹⁰, C. Bohm ^{149a}, V. Boisvert ⁷⁹, P. Bokan ¹⁴, T. Bold ^{40a}, A.S. Boldyrev ^{168a,168c}, M. Bomben ⁸², M. Bona ⁷⁸, M. Boonekamp ¹³⁷, A. Borisov ¹³¹, G. Borissov ⁷⁴, J. Bortfeldt ³², D. Bortoletto ¹²¹, V. Bortolotto ^{62a,62b,62c}, K. Bos ¹⁰⁸, D. Boscherini ^{22a}, M. Bosman ¹³, J.D. Bossio Sola ²⁹, J. Boudreau ¹²⁶, J. Bouffard ², E.V. Bouhova-Thacker ⁷⁴, D. Boumediene ³⁶, C. Bourdarios ¹¹⁸, S.K. Boutle ⁵⁵, A. Boveia ³², J. Boyd ³², I.R. Boyko ⁶⁷, J. Bracinik ¹⁹, A. Brandt ⁸, G. Brandt ⁵⁶, O. Brandt ^{60a}, U. Bratzler ¹⁵⁹, B. Brau ⁸⁸, J.E. Brau ¹¹⁷, W.D. Breaden Madden ⁵⁵, K. Brendlinger ¹²³, A.J. Brennan ⁹⁰, L. Brenner ¹⁰⁸, R. Brenner ¹⁶⁹, S. Bressler ¹⁷⁶, T.M. Bristow ⁴⁸, D. Britton ⁵⁵, D. Britzger ⁴⁴, F.M. Brochu ³⁰, I. Brock ²³, R. Brock ⁹², G. Brooijmans ³⁷, T. Brooks ⁷⁹, W.K. Brooks ^{34b}, J. Brosamer ¹⁶, E. Brost ¹⁰⁹, J.H. Broughton ¹⁹, P.A. Bruckman de Renstrom ⁴¹, D. Bruncko ^{147b}, R. Bruneliere ⁵⁰, A. Bruni ^{22a}, G. Bruni ^{22a}, L.S. Bruni ¹⁰⁸, BH Brunt ³⁰, M. Bruschi ^{22a}, N. Bruscino ²³, P. Bryant ³³, L. Bryngemark ⁸³, T. Buanes ¹⁵, Q. Buat ¹⁴⁵, P. Buchholz ¹⁴⁴, A.G. Buckley ⁵⁵, I.A. Budagov ⁶⁷, F. Buehrer ⁵⁰, M.K. Bugge ¹²⁰, O. Bulekov ⁹⁹, D. Bullock ⁸, H. Burckhart ³², S. Burdin ⁷⁶, C.D. Burgard ⁵⁰, B. Burgrave ¹⁰⁹, K. Burka ⁴¹, S. Burke ¹³², I. Burmeister ⁴⁵, J.T.P. Burr ¹²¹, E. Busato ³⁶, D. Büscher ⁵⁰, V. Büscher ⁸⁵, P. Bussey ⁵⁵, J.M. Butler ²⁴, C.M. Buttar ⁵⁵, J.M. Butterworth ⁸⁰, P. Butti ¹⁰⁸, W. Buttlinger ²⁷, A. Buzatu ⁵⁵, A.R. Buzykaev ^{110,c}, S. Cabrera Urbán ¹⁷¹, D. Caforio ¹²⁹, V.M. Cairo ^{39a,39b}, O. Cakir ^{4a}, N. Calace ⁵¹, P. Calafiura ¹⁶, A. Calandri ⁸⁷, G. Calderini ⁸², P. Calfayan ⁶³, G. Callea ^{39a,39b}, L.P. Caloba ^{26a}, S. Calvente Lopez ⁸⁴, D. Calvet ³⁶, S. Calvet ³⁶, T.P. Calvet ⁸⁷, R. Camacho Toro ³³, S. Camarda ³², P. Camarri ^{134a,134b}, D. Cameron ¹²⁰, R. Caminal Armadans ¹⁷⁰, C. Camincher ⁵⁷, S. Campana ³², M. Campanelli ⁸⁰, A. Camplani ^{93a,93b}, A. Campoverde ¹⁴⁴, V. Canale ^{105a,105b}, A. Canepa ^{164a}, M. Cano Bret ¹⁴¹, J. Cantero ¹¹⁵, T. Cao ⁴², M.D.M. Capeans Garrido ³², I. Caprini ^{28b}, M. Caprini ^{28b}, M. Capua ^{39a,39b}, R.M. Carbone ³⁷, R. Cardarelli ^{134a}, F. Cardillo ⁵⁰, I. Carli ¹³⁰, T. Carli ³², G. Carlino ^{105a}, L. Carminati ^{93a,93b}, R.M.D. Carney ^{149a,149b}, S. Caron ¹⁰⁷, E. Carquin ^{34b}, G.D. Carrillo-Montoya ³², J.R. Carter ³⁰, J. Carvalho ^{127a,127c}, D. Casadei ¹⁹, M.P. Casado ^{13,i}, M. Casolino ¹³, D.W. Casper ¹⁶⁷, E. Castaneda-Miranda ^{148a}, R. Castelijn ¹⁰⁸, A. Castelli ¹⁰⁸, V. Castillo Gimenez ¹⁷¹, N.F. Castro ^{127a,j}, A. Catinaccio ³², J.R. Catmore ¹²⁰, A. Cattai ³², J. Caudron ²³, V. Cavaliere ¹⁷⁰, E. Cavallaro ¹³, D. Cavalli ^{93a}, M. Cavalli-Sforza ¹³, V. Cavasinni ^{125a,125b}, F. Ceradini ^{135a,135b}, L. Cerdà Alberich ¹⁷¹, A.S. Cerqueira ^{26b}, A. Cerri ¹⁵², L. Cerrito ^{134a,134b}, F. Cerutti ¹⁶, M. Cerv ³², A. Cervelli ¹⁸, S.A. Cetin ^{20d}, A. Chafaq ^{136a}, D. Chakraborty ¹⁰⁹, S.K. Chan ⁵⁸, Y.L. Chan ^{62a}, P. Chang ¹⁷⁰, J.D. Chapman ³⁰, D.G. Charlton ¹⁹, A. Chatterjee ⁵¹, C.C. Chau ¹⁶², C.A. Chavez Barajas ¹⁵², S. Che ¹¹², S. Cheatham ^{168a,168c}, A. Chegwidden ⁹², S. Chekanov ⁶, S.V. Chekulaev ^{164a}, G.A. Chelkov ^{67,k},

- M.A. Chelstowska 91, C. Chen 66, H. Chen 27, K. Chen 151, S. Chen 35b, S. Chen 158, X. Chen 35c, Y. Chen 69,
 H.C. Cheng 91, H.J. Cheng 35a, Y. Cheng 33, A. Cheplakov 67, E. Cheremushkina 131,
 R. Cherkaoui El Moursli 136e, V. Chernyatin 27,* E. Cheu 7, L. Chevalier 137, V. Chiarella 49,
 G. Chiarelli 125a, 125b, G. Chiodini 75a, A.S. Chisholm 32, A. Chitan 28b, M.V. Chizhov 67, K. Choi 63,
 A.R. Chomont 36, S. Chouridou 9, B.K.B. Chow 101, V. Christodoulou 80, D. Chromek-Burckhart 32,
 J. Chudoba 128, A.J. Chuinard 89, J.J. Chwastowski 41, L. Chytka 116, G. Ciapetti 133a, 133b, A.K. Ciftci 4a,
 D. Cinca 45, V. Cindro 77, I.A. Cioara 23, C. Ciocca 22a, 22b, A. Ciocio 16, F. Cirotto 105a, 105b, Z.H. Citron 176,
 M. Citterio 93a, M. Ciubancan 28b, A. Clark 51, B.L. Clark 58, M.R. Clark 37, P.J. Clark 48, R.N. Clarke 16,
 C. Clement 149a, 149b, Y. Coadou 87, M. Cobal 168a, 168c, A. Coccato 51, J. Cochran 66, L. Colasurdo 107,
 B. Cole 37, A.P. Colijn 108, J. Collot 57, T. Colombo 167, G. Compostella 102, P. Conde Muñoz 127a, 127b,
 E. Coniavitis 50, S.H. Connell 148b, I.A. Connelly 79, V. Consorti 50, S. Constantinescu 28b, G. Conti 32,
 F. Conventi 105a,l, M. Cooke 16, B.D. Cooper 80, A.M. Cooper-Sarkar 121, K.J.R. Cormier 162, T. Cornelissen 179,
 M. Corradi 133a, 133b, F. Corriveau 89,m, A. Cortes-Gonzalez 32, G. Cortiana 102, G. Costa 93a, M.J. Costa 171,
 D. Costanzo 142, G. Cottin 30, G. Cowan 79, B.E. Cox 86, K. Cranmer 111, S.J. Crawley 55, G. Cree 31,
 S. Crépé-Renaudin 57, F. Crescioli 82, W.A. Cribbs 149a, 149b, M. Crispin Ortuzar 121, M. Cristinziani 23,
 V. Croft 107, G. Crosetti 39a, 39b, A. Cueto 84, T. Cuhadar Donszelmann 142, J. Cummings 180, M. Curatolo 49,
 J. Cúth 85, H. Czirr 144, P. Czodrowski 3, G. D’amen 22a, 22b, S. D’Auria 55, M. D’Onofrio 76,
 M.J. Da Cunha Sargedas De Sousa 127a, 127b, C. Da Via 86, W. Dabrowski 40a, T. Dado 147a, T. Dai 91,
 O. Dale 15, F. Dallaire 96, C. Dallapiccola 88, M. Dam 38, J.R. Dandoy 33, N.P. Dang 50, A.C. Daniells 19,
 N.S. Dann 86, M. Danninger 172, M. Dano Hoffmann 137, V. Dao 50, G. Darbo 52a, S. Darmora 8,
 J. Dassoulas 3, A. Dattagupta 117, W. Davey 23, C. David 173, T. Davidek 130, M. Davies 156, P. Davison 80,
 E. Dawe 90, I. Dawson 142, K. De 8, R. de Asmundis 105a, A. De Benedetti 114, S. De Castro 22a, 22b,
 S. De Cecco 82, N. De Groot 107, P. de Jong 108, H. De la Torre 92, F. De Lorenzi 66, A. De Maria 56,
 D. De Pedis 133a, A. De Salvo 133a, U. De Sanctis 152, A. De Santo 152, J.B. De Vivie De Regie 118,
 W.J. Dearnaley 74, R. Debbe 27, C. Debenedetti 138, D.V. Dedovich 67, N. Dehghanian 3, I. Deigaard 108,
 M. Del Gaudio 39a, 39b, J. Del Peso 84, T. Del Prete 125a, 125b, D. Delgove 118, F. Deliot 137, C.M. Delitzsch 51,
 A. Dell’Acqua 32, L. Dell’Asta 24, M. Dell’Orso 125a, 125b, M. Della Pietra 105a,l, D. della Volpe 51,
 M. Delmastro 5, P.A. Delsart 57, D.A. DeMarco 162, S. Demers 180, M. Demichev 67, A. Demilly 82,
 S.P. Denisov 131, D. Denysiuk 137, D. Derendarz 41, J.E. Derkaoui 136d, F. Derue 82, P. Dervan 76, K. Desch 23,
 C. Deterre 44, K. Dette 45, P.O. Deviveiros 32, A. Dewhurst 132, S. Dhaliwal 25, A. Di Ciacio 134a, 134b,
 L. Di Ciacio 5, W.K. Di Clemente 123, C. Di Donato 105a, 105b, A. Di Girolamo 32, B. Di Girolamo 32,
 B. Di Micco 135a, 135b, R. Di Nardo 32, A. Di Simone 50, R. Di Sipio 162, D. Di Valentino 31, C. Diaconu 87,
 M. Diamond 162, F.A. Dias 48, M.A. Diaz 34a, E.B. Diehl 91, J. Dietrich 17, S. Díez Cornell 44,
 A. Dimitrijevska 14, J. Dingfelder 23, P. Dita 28b, S. Dita 28b, F. Dittus 32, F. Djama 87, T. Djobava 53b,
 J.I. Djuvland 60a, M.A.B. do Vale 26c, D. Dobos 32, M. Dobre 28b, C. Doglioni 83, J. Dolejsi 130, Z. Dolezal 130,
 M. Donadelli 26d, S. Donati 125a, 125b, P. Dondero 122a, 122b, J. Donini 36, J. Dopke 132, A. Doria 105a,
 M.T. Dova 73, A.T. Doyle 55, E. Drechsler 56, M. Dris 10, Y. Du 140, J. Duarte-Campderros 156, E. Duchovni 176,
 G. Duckeck 101, O.A. Ducu 96,n, D. Duda 108, A. Dudarev 32, A. Chr. Dudder 85, E.M. Duffield 16, L. Duflot 118,
 M. Dührssen 32, M. Dumancic 176, M. Dunford 60a, H. Duran Yildiz 4a, M. Düren 54, A. Durglishvili 53b,
 D. Duschinger 46, B. Dutta 44, M. Dyndal 44, C. Eckardt 44, K.M. Ecker 102, R.C. Edgar 91, N.C. Edwards 48,
 T. Eifert 32, G. Eigen 15, K. Einsweiler 16, T. Ekelof 169, M. El Kacimi 136c, V. Ellajosyula 87, M. Ellert 169,
 S. Elles 5, F. Ellinghaus 179, A.A. Elliot 173, N. Ellis 32, J. Elmsheuser 27, M. Elsing 32, D. Emeliyanov 132,
 Y. Enari 158, O.C. Endner 85, J.S. Ennis 174, J. Erdmann 45, A. Ereditato 18, G. Ernis 179, J. Ernst 2, M. Ernst 27,
 S. Errede 170, E. Ertel 85, M. Escalier 118, H. Esch 45, C. Escobar 126, B. Esposito 49, A.I. Etienne 137,
 E. Etzion 156, H. Evans 63, A. Ezhilov 124, M. Ezzi 136e, F. Fabbri 22a, 22b, L. Fabbri 22a, 22b, G. Facini 33,
 R.M. Fakhrutdinov 131, S. Falciano 133a, R.J. Falla 80, J. Faltova 32, Y. Fang 35a, M. Fanti 93a, 93b, A. Farbin 8,
 A. Farilla 135a, C. Farina 126, E.M. Farina 122a, 122b, T. Farooque 13, S. Farrell 16, S.M. Farrington 174,
 P. Farthouat 32, F. Fassi 136e, P. Fassnacht 32, D. Fassouliotis 9, M. Facci Giannelli 79, A. Favareto 52a, 52b,
 W.J. Fawcett 121, L. Fayard 118, O.L. Fedin 124,o, W. Fedorko 172, S. Feigl 120, L. Feligioni 87, C. Feng 140,
 E.J. Feng 32, H. Feng 91, A.B. Fenyuk 131, L. Feremenga 8, P. Fernandez Martinez 171, S. Fernandez Perez 13,
 J. Ferrando 44, A. Ferrari 169, P. Ferrari 108, R. Ferrari 122a, D.E. Ferreira de Lima 60b, A. Ferrer 171,
 D. Ferrere 51, C. Ferretti 91, A. Ferretto Parodi 52a, 52b, F. Fiedler 85, A. Filipčič 77, M. Filipuzzi 44,

- F. Filthaut ¹⁰⁷, M. Fincke-Keeler ¹⁷³, K.D. Finelli ¹⁵³, M.C.N. Fiolhais ^{127a,127c}, L. Fiorini ¹⁷¹, A. Firan ⁴²,
 A. Fischer ², C. Fischer ¹³, J. Fischer ¹⁷⁹, W.C. Fisher ⁹², N. Flaschel ⁴⁴, I. Fleck ¹⁴⁴, P. Fleischmann ⁹¹,
 G.T. Fletcher ¹⁴², R.R.M. Fletcher ¹²³, T. Flick ¹⁷⁹, L.R. Flores Castillo ^{62a}, M.J. Flowerdew ¹⁰², G.T. Forcolin ⁸⁶,
 A. Formica ¹³⁷, A. Forti ⁸⁶, A.G. Foster ¹⁹, D. Fournier ¹¹⁸, H. Fox ⁷⁴, S. Fracchia ¹³, P. Francavilla ⁸²,
 M. Franchini ^{22a,22b}, D. Francis ³², L. Franconi ¹²⁰, M. Franklin ⁵⁸, M. Frate ¹⁶⁷, M. Fraternali ^{122a,122b},
 D. Freeborn ⁸⁰, S.M. Fressard-Batraneanu ³², F. Friedrich ⁴⁶, D. Froidevaux ³², J.A. Frost ¹²¹, C. Fukunaga ¹⁵⁹,
 E. Fullana Torregrosa ⁸⁵, T. Fusayasu ¹⁰³, J. Fuster ¹⁷¹, C. Gabaldon ⁵⁷, O. Gabizon ¹⁵⁵, A. Gabrielli ^{22a,22b},
 A. Gabrielli ¹⁶, G.P. Gach ^{40a}, S. Gadatsch ³², S. Gadomski ⁷⁹, G. Gagliardi ^{52a,52b}, L.G. Gagnon ⁹⁶,
 P. Gagnon ⁶³, C. Galea ¹⁰⁷, B. Galhardo ^{127a,127c}, E.J. Gallas ¹²¹, B.J. Gallop ¹³², P. Gallus ¹²⁹, G. Galster ³⁸,
 K.K. Gan ¹¹², S. Ganguly ³⁶, J. Gao ⁵⁹, Y. Gao ⁴⁸, Y.S. Gao ^{146,g}, F.M. Garay Walls ⁴⁸, C. García ¹⁷¹,
 J.E. García Navarro ¹⁷¹, M. Garcia-Sciveres ¹⁶, R.W. Gardner ³³, N. Garelli ¹⁴⁶, V. Garonne ¹²⁰,
 A. Gascon Bravo ⁴⁴, K. Gasnikova ⁴⁴, C. Gatti ⁴⁹, A. Gaudiello ^{52a,52b}, G. Gaudio ^{122a}, L. Gauthier ⁹⁶,
 I.L. Gavrilenco ⁹⁷, C. Gay ¹⁷², G. Gaycken ²³, E.N. Gazis ¹⁰, Z. Gecse ¹⁷², C.N.P. Gee ¹³², Ch. Geich-Gimbel ²³,
 M. Geisen ⁸⁵, M.P. Geisler ^{60a}, K. Gellerstedt ^{149a,149b}, C. Gemme ^{52a}, M.H. Genest ⁵⁷, C. Geng ^{59,p},
 S. Gentile ^{133a,133b}, C. Gentsos ¹⁵⁷, S. George ⁷⁹, D. Gerbaudo ¹³, A. Gershon ¹⁵⁶, S. Ghasemi ¹⁴⁴,
 M. Ghneimat ²³, B. Giacobbe ^{22a}, S. Giagu ^{133a,133b}, P. Giannetti ^{125a,125b}, B. Gibbard ²⁷, S.M. Gibson ⁷⁹,
 M. Gignac ¹⁷², M. Gilchriese ¹⁶, T.P.S. Gillam ³⁰, D. Gillberg ³¹, G. Gilles ¹⁷⁹, D.M. Gingrich ^{3,d}, N. Giokaris ⁹,
 M.P. Giordani ^{168a,168c}, F.M. Giorgi ^{22a}, F.M. Giorgi ¹⁷, P.F. Giraud ¹³⁷, P. Giromini ⁵⁸, D. Giugni ^{93a},
 F. Giuli ¹²¹, C. Giuliani ¹⁰², M. Giulini ^{60b}, B.K. Gjelsten ¹²⁰, S. Gkaitatzis ¹⁵⁷, I. Gkalias ¹⁵⁷,
 E.L. Gkougkousis ¹¹⁸, L.K. Gladilin ¹⁰⁰, C. Glasman ⁸⁴, J. Glatzer ⁵⁰, P.C.F. Glaysher ⁴⁸, A. Glazov ⁴⁴,
 M. Goblirsch-Kolb ²⁵, J. Godlewski ⁴¹, S. Goldfarb ⁹⁰, T. Golling ⁵¹, D. Golubkov ¹³¹, A. Gomes ^{127a,127b,127d},
 R. Gonçalo ^{127a}, J. Goncalves Pinto Firmino Da Costa ¹³⁷, G. Gonella ⁵⁰, L. Gonella ¹⁹, A. Gongadze ⁶⁷,
 S. González de la Hoz ¹⁷¹, S. Gonzalez-Sevilla ⁵¹, L. Goossens ³², P.A. Gorbounov ⁹⁸, H.A. Gordon ²⁷,
 I. Gorelov ¹⁰⁶, B. Gorini ³², E. Gorini ^{75a,75b}, A. Gorišek ⁷⁷, E. Gornicki ⁴¹, A.T. Goshaw ⁴⁷, C. Gössling ⁴⁵,
 M.I. Gostkin ⁶⁷, C.R. Goudet ¹¹⁸, D. Goujdami ^{136c}, A.G. Goussiou ¹³⁹, N. Govender ^{148b,q}, E. Gozani ¹⁵⁵,
 L. Gruber ⁵⁶, I. Grabowska-Bold ^{40a}, P.O.J. Gradin ⁵⁷, P. Grafström ^{22a,22b}, J. Gramling ⁵¹, E. Gramstad ¹²⁰,
 S. Grancagnolo ¹⁷, V. Gratchev ¹²⁴, P.M. Gravila ^{28e}, H.M. Gray ³², E. Graziani ^{135a}, Z.D. Greenwood ^{81,r},
 C. Grefe ²³, K. Gregersen ⁸⁰, I.M. Gregor ⁴⁴, P. Grenier ¹⁴⁶, K. Grevtsov ⁵, J. Griffiths ⁸, A.A. Grillo ¹³⁸,
 K. Grimm ⁷⁴, S. Grinstein ^{13,s}, Ph. Gris ³⁶, J.-F. Grivaz ¹¹⁸, S. Groh ⁸⁵, E. Gross ¹⁷⁶, J. Grosse-Knetter ⁵⁶,
 G.C. Grossi ⁸¹, Z.J. Grout ⁸⁰, L. Guan ⁹¹, W. Guan ¹⁷⁷, J. Guenther ⁶⁴, F. Guescini ⁵¹, D. Guest ¹⁶⁷,
 O. Gueta ¹⁵⁶, B. Gui ¹¹², E. Guido ^{52a,52b}, T. Guillemin ⁵, S. Guindon ², U. Gul ⁵⁵, C. Gumpert ³², J. Guo ¹⁴¹,
 Y. Guo ^{59,p}, R. Gupta ⁴², S. Gupta ¹²¹, G. Gustavino ^{133a,133b}, P. Gutierrez ¹¹⁴, N.G. Gutierrez Ortiz ⁸⁰,
 C. Gutschow ⁴⁶, C. Guyot ¹³⁷, C. Gwenlan ¹²¹, C.B. Gwilliam ⁷⁶, A. Haas ¹¹¹, C. Haber ¹⁶, H.K. Hadavand ⁸,
 N. Haddad ^{136e}, A. Hadef ⁸⁷, S. Hageböck ²³, M. Hagiwara ¹⁶⁵, Z. Hajduk ⁴¹, H. Hakobyan ^{181,*},
 M. Haleem ⁴⁴, J. Haley ¹¹⁵, G. Halladjian ⁹², G.D. Hallewell ⁸⁷, K. Hamacher ¹⁷⁹, P. Hamal ¹¹⁶,
 K. Hamano ¹⁷³, A. Hamilton ^{148a}, G.N. Hamity ¹⁴², P.G. Hamnett ⁴⁴, L. Han ⁵⁹, K. Hanagaki ^{68,t},
 K. Hanawa ¹⁵⁸, M. Hance ¹³⁸, B. Haney ¹²³, P. Hanke ^{60a}, R. Hanna ¹³⁷, J.B. Hansen ³⁸, J.D. Hansen ³⁸,
 M.C. Hansen ²³, P.H. Hansen ³⁸, K. Hara ¹⁶⁵, A.S. Hard ¹⁷⁷, T. Harenberg ¹⁷⁹, F. Hariri ¹¹⁸, S. Harkusha ⁹⁴,
 R.D. Harrington ⁴⁸, P.F. Harrison ¹⁷⁴, F. Hartjes ¹⁰⁸, N.M. Hartmann ¹⁰¹, M. Hasegawa ⁶⁹, Y. Hasegawa ¹⁴³,
 A. Hasib ¹¹⁴, S. Hassani ¹³⁷, S. Haug ¹⁸, R. Hauser ⁹², L. Hauswald ⁴⁶, M. Havranek ¹²⁸, C.M. Hawkes ¹⁹,
 R.J. Hawkings ³², D. Hayakawa ¹⁶⁰, D. Hayden ⁹², C.P. Hays ¹²¹, J.M. Hays ⁷⁸, H.S. Hayward ⁷⁶,
 S.J. Haywood ¹³², S.J. Head ¹⁹, T. Heck ⁸⁵, V. Hedberg ⁸³, L. Heelan ⁸, S. Heim ¹²³, T. Heim ¹⁶,
 B. Heinemann ¹⁶, J.J. Heinrich ¹⁰¹, L. Heinrich ¹¹¹, C. Heinz ⁵⁴, J. Hejbal ¹²⁸, L. Helary ³²,
 S. Hellman ^{149a,149b}, C. Helsens ³², J. Henderson ¹²¹, R.C.W. Henderson ⁷⁴, Y. Heng ¹⁷⁷, S. Henkelmann ¹⁷²,
 A.M. Henriques Correia ³², S. Henrot-Versille ¹¹⁸, G.H. Herbert ¹⁷, H. Herde ²⁵, V. Herget ¹⁷⁸,
 Y. Hernández Jiménez ^{148c}, G. Herten ⁵⁰, R. Hertenberger ¹⁰¹, L. Hervas ³², G.G. Hesketh ⁸⁰, N.P. Hessey ¹⁰⁸,
 J.W. Hetherly ⁴², R. Hickling ⁷⁸, E. Higón-Rodríguez ¹⁷¹, E. Hill ¹⁷³, J.C. Hill ³⁰, K.H. Hiller ⁴⁴, S.J. Hillier ¹⁹,
 I. Hinchliffe ¹⁶, E. Hines ¹²³, R.R. Hinman ¹⁶, M. Hirose ⁵⁰, D. Hirschbuehl ¹⁷⁹, J. Hobbs ¹⁵¹, N. Hod ^{164a},
 M.C. Hodgkinson ¹⁴², P. Hodgson ¹⁴², A. Hoecker ³², M.R. Hoeferkamp ¹⁰⁶, F. Hoenig ¹⁰¹, D. Hohn ²³,
 T.R. Holmes ¹⁶, M. Homann ⁴⁵, T. Honda ⁶⁸, T.M. Hong ¹²⁶, B.H. Hooperman ¹⁷⁰, W.H. Hopkins ¹¹⁷,
 Y. Horii ¹⁰⁴, A.J. Horton ¹⁴⁵, J.-Y. Hostachy ⁵⁷, S. Hou ¹⁵⁴, A. Hoummada ^{136a}, J. Howarth ⁴⁴, J. Hoya ⁷³,
 M. Hrabovsky ¹¹⁶, I. Hristova ¹⁷, J. Hrivnac ¹¹⁸, T. Hrynevich ⁹⁵, C. Hsu ^{148c}, P.J. Hsu ^{154,u},

- S.-C. Hsu 139, Q. Hu 59, S. Hu 141, Y. Huang 44, Z. Hubacek 129, F. Hubaut 87, F. Huegging 23,
 T.B. Huffman 121, E.W. Hughes 37, G. Hughes 74, M. Huhtinen 32, P. Huo 151, N. Huseynov 67,b, J. Huston 92,
 J. Huth 58, G. Iacobucci 51, G. Iakovidis 27, I. Ibragimov 144, L. Iconomidou-Fayard 118, E. Ideal 180,
 Z. Idrissi 136e, P. Iengo 32, O. Igonkina 108,v, T. Iizawa 175, Y. Ikegami 68, M. Ikeno 68, Y. Ilchenko 11,w,
 D. Iliadis 157, N. Ilic 146, T. Ince 102, G. Introzzi 122a,122b, P. Ioannou 9,* M. Iodice 135a, K. Iordanidou 37,
 V. Ippolito 58, N. Ishijima 119, M. Ishino 158, M. Ishitsuka 160, R. Ishmukhametov 112, C. Issever 121,
 S. Istin 20a, F. Ito 165, J.M. Iturbe Ponce 86, R. Iuppa 163a,163b, W. Iwanski 64, H. Iwasaki 68, J.M. Izen 43,
 V. Izzo 105a, S. Jabbar 3, B. Jackson 123, P. Jackson 1, V. Jain 2, K.B. Jakobi 85, K. Jakobs 50, S. Jakobsen 32,
 T. Jakoubek 128, D.O. Jamin 115, D.K. Jana 81, R. Jansky 64, J. Janssen 23, M. Janus 56, G. Jarlskog 83,
 N. Javadov 67,b, T. Javurek 50, F. Jeanneau 137, L. Jeanty 16, G.-Y. Jeng 153, D. Jennens 90, P. Jenni 50,x,
 C. Jeske 174, S. Jézéquel 5, H. Ji 177, J. Jia 151, H. Jiang 66, Y. Jiang 59, Z. Jiang 146, S. Jiggins 80,
 J. Jimenez Pena 171, S. Jin 35a, A. Jinaru 28b, O. Jinnouchi 160, H. Jivan 148c, P. Johansson 142, K.A. Johns 7,
 W.J. Johnson 139, K. Jon-And 149a,149b, G. Jones 174, R.W.L. Jones 74, S. Jones 7, T.J. Jones 76, J. Jongmanns 60a,
 P.M. Jorge 127a,127b, J. Jovicevic 164a, X. Ju 177, A. Juste Rozas 13,s, M.K. Köhler 176, A. Kaczmarska 41,
 M. Kado 118, H. Kagan 112, M. Kagan 146, S.J. Kahn 87, T. Kaji 175, E. Kajomovitz 47, C.W. Kalderon 121,
 A. Kaluza 85, S. Kama 42, A. Kamenshchikov 131, N. Kanaya 158, S. Kaneti 30, L. Kanjir 77, V.A. Kantserov 99,
 J. Kanzaki 68, B. Kaplan 111, L.S. Kaplan 177, A. Kapliy 33, D. Kar 148c, K. Karakostas 10, A. Karamaoun 3,
 N. Karastathis 10, M.J. Kareem 56, E. Karentzos 10, M. Karnevskiy 85, S.N. Karpov 67, Z.M. Karpova 67,
 K. Karthik 111, V. Kartvelishvili 74, A.N. Karyukhin 131, K. Kasahara 165, L. Kashif 177, R.D. Kass 112,
 A. Kastanas 150, Y. Kataoka 158, C. Kato 158, A. Katre 51, J. Katzy 44, K. Kawade 104, K. Kawagoe 72,
 T. Kawamoto 158, G. Kawamura 56, V.F. Kazanin 110,c, R. Keeler 173, R. Kehoe 42, J.S. Keller 44,
 J.J. Kempster 79, H. Keoshkerian 162, O. Kepka 128, B.P. Kerševan 77, S. Kersten 179, R.A. Keyes 89,
 M. Khader 170, F. Khalil-zada 12, A. Khanov 115, A.G. Kharlamov 110,c, T. Kharlamova 110, T.J. Khoo 51,
 V. Khovanskiy 98, E. Khramov 67, J. Khubua 53b,y, S. Kido 69, C.R. Kilby 79, H.Y. Kim 8, S.H. Kim 165,
 Y.K. Kim 33, N. Kimura 157, O.M. Kind 17, B.T. King 76, M. King 171, J. Kirk 132, A.E. Kiryunin 102,
 T. Kishimoto 158, D. Kisielewska 40a, F. Kiss 50, K. Kiuchi 165, O. Kivernyk 137, E. Kladiva 147b, M.H. Klein 37,
 M. Klein 76, U. Klein 76, K. Kleinknecht 85, P. Klimek 109, A. Klimentov 27, R. Klingenberg 45, J.A. Klinger 142,
 T. Klioutchnikova 32, E.-E. Kluge 60a, P. Kluit 108, S. Kluth 102, J. Knapik 41, E. Knerner 64,
 E.B.F. Knoops 87, A. Knue 55, A. Kobayashi 158, D. Kobayashi 160, T. Kobayashi 158, M. Kobel 46,
 M. Kocian 146, P. Kodys 130, N.M. Koehler 102, T. Koffman 108, T. Koi 146, H. Kolanoski 17,
 M. Kolb 60b, I. Koletsou 5, A.A. Komar 97,* Y. Komori 158, T. Kondo 68, N. Kondrashova 44, K. Köneke 50,
 A.C. König 107, T. Kono 68,z, R. Konoplich 111,aa, N. Konstantinidis 80, R. Kopeliansky 63, S. Koperny 40a,
 L. Köpke 85, A.K. Kopp 50, K. Korcyl 41, K. Kordas 157, A. Korn 80, A.A. Korol 110,c, I. Korolkov 13,
 E.V. Korolkova 142, O. Kortner 102, S. Kortner 102, T. Kosek 130, V.V. Kostyukhin 23, A. Kotwal 47,
 A. Koulouris 10, A. Kourkoumeli-Charalampidi 122a,122b, C. Kourkoumelis 9, V. Kouskoura 27,
 A.B. Kowalewska 41, R. Kowalewski 173, T.Z. Kowalski 40a, C. Kozakai 158, W. Kozanecki 137, A.S. Kozhin 131,
 V.A. Kramarenko 100, G. Kramberger 77, D. Krasnopevtsev 99, M.W. Krasny 82, A. Krasznahorkay 32,
 A. Kravchenko 27, M. Kretz 60c, J. Kretzschmar 76, K. Kreutzfeldt 54, P. Krieger 162, K. Krizka 33,
 K. Kroeninger 45, H. Kroha 102, J. Kroll 123, J. Kroeseberg 23, J. Krstic 14, U. Kruchonak 67, H. Krüger 23,
 N. Krumnack 66, M.C. Kruse 47, M. Kruskal 24, T. Kubota 90, H. Kucuk 80, S. Kuday 4b, J.T. Kuechler 179,
 S. Kuehn 50, A. Kugel 60c, F. Kuger 178, A. Kuhl 138, T. Kuhl 44, V. Kukhtin 67, R. Kukla 137, Y. Kulchitsky 94,
 S. Kuleshov 34b, M. Kuna 133a,133b, T. Kunigo 70, A. Kupco 128, H. Kurashige 69, Y.A. Kurochkin 94, V. Kus 128,
 E.S. Kuwertz 173, M. Kuze 160, J. Kvita 116, T. Kwan 173, D. Kyriazopoulos 142, A. La Rosa 102,
 J.L. La Rosa Navarro 26d, L. La Rotonda 39a,39b, C. Lacasta 171, F. Lacava 133a,133b, J. Lacey 31, H. Lacker 17,
 D. Lacour 82, V.R. Lacuesta 171, E. Ladygin 67, R. Lafaye 5, B. Laforge 82, T. Lagouri 180, S. Lai 56,
 S. Lammers 63, W. Lampl 7, E. Lançon 137, U. Landgraf 50, M.P.J. Landon 78, M.C. Lanfermann 51,
 V.S. Lang 60a, J.C. Lange 13, A.J. Lankford 167, F. Lanni 27, K. Lantzsch 23, A. Lanza 122a, S. Laplace 82,
 C. Lapoire 32, J.F. Laporte 137, T. Lari 93a, F. Lasagni Manghi 22a,22b, M. Lassnig 32, P. Laurelli 49,
 W. Lavrijsen 16, A.T. Law 138, P. Laycock 76, T. Lazovich 58, M. Lazzaroni 93a,93b, B. Le 90, O. Le Dortz 82,
 E. Le Guiriec 87, E.P. Le Quilleuc 137, M. LeBlanc 173, T. LeCompte 6, F. Ledroit-Guillon 57, C.A. Lee 27,
 S.C. Lee 154, L. Lee 1, B. Lefebvre 89, G. Lefebvre 82, M. Lefebvre 173, F. Legger 101, C. Leggett 16, A. Lehan 76,
 G. Lehmann Miotto 32, X. Lei 7, W.A. Leight 31, A.G. Leister 180, M.A.L. Leite 26d, R. Leitner 130,

- D. Lellouch 176, B. Lemmer 56, K.J.C. Leney 80, T. Lenz 23, B. Lenzi 32, R. Leone 7, S. Leone 125a,125b, C. Leonidopoulos 48, S. Leontsinis 10, G. Lerner 152, C. Leroy 96, A.A.J. Lesage 137, C.G. Lester 30, M. Levchenko 124, J. Levêque 5, D. Levin 91, L.J. Levinson 176, M. Levy 19, D. Lewis 78, A.M. Leyko 23, M. Leyton 43, B. Li 59,p, C. Li 59, H. Li 151, H.L. Li 33, L. Li 47, L. Li 141, Q. Li 35a, S. Li 47, X. Li 86, Y. Li 144, Z. Liang 35a, B. Liberti 134a, A. Liblong 162, P. Lichard 32, K. Lie 170, J. Liebal 23, W. Liebig 15, A. Limosani 153, S.C. Lin 154,ab, T.H. Lin 85, B.E. Lindquist 151, A.E. Lionti 51, E. Lipeles 123, A. Lipniacka 15, M. Lisovyi 60b, T.M. Liss 170, A. Lister 172, A.M. Litke 138, B. Liu 154,ac, D. Liu 154, H. Liu 91, H. Liu 27, J. Liu 87, J.B. Liu 59, K. Liu 87, L. Liu 170, M. Liu 47, M. Liu 59, Y.L. Liu 59, Y. Liu 59, M. Livan 122a,122b, A. Lleres 57, J. Llorente Merino 35a, S.L. Lloyd 78, F. Lo Sterzo 154, E.M. Lobodzinska 44, P. Loch 7, F.K. Loebinger 86, K.M. Loew 25, A. Loginov 180,* , T. Lohse 17, K. Lohwasser 44, M. Lokajicek 128, B.A. Long 24, J.D. Long 170, R.E. Long 74, L. Longo 75a,75b, K.A.Looper 112, J.A. López 34b, D. Lopez Mateos 58, B. Lopez Paredes 142, I. Lopez Paz 13, A. Lopez Solis 82, J. Lorenz 101, N. Lorenzo Martinez 63, M. Losada 21, P.J. Lösel 101, X. Lou 35a, A. Lounis 118, J. Love 6, P.A. Love 74, H. Lu 62a, N. Lu 91, H.J. Lubatti 139, C. Luci 133a,133b, A. Lucotte 57, C. Luedtke 50, F. Luehring 63, W. Lukas 64, L. Luminari 133a, O. Lundberg 149a,149b, B. Lund-Jensen 150, P.M. Luzi 82, D. Lynn 27, R. Lysak 128, E. Lytken 83, V. Lyubushkin 67, H. Ma 27, L.L. Ma 140, Y. Ma 140, G. Maccarrone 49, A. Macchiolo 102, C.M. Macdonald 142, B. Maček 77, J. Machado Miguens 123,127b, D. Madaffari 87, R. Madar 36, H.J. Maddocks 169, W.F. Mader 46, A. Madsen 44, J. Maeda 69, S. Maeland 15, T. Maeno 27, A. Maevskiy 100, E. Magradze 56, J. Mahlstedt 108, C. Maiani 118, C. Maidantchik 26a, A.A. Maier 102, T. Maier 101, A. Maio 127a,127b,127d, S. Majewski 117, Y. Makida 68, N. Makovec 118, B. Malaescu 82, Pa. Malecki 41, V.P. Maleev 124, F. Malek 57, U. Mallik 65, D. Malon 6, C. Malone 146, C. Malone 30, S. Maltezos 10, S. Malyukov 32, J. Mamuzic 171, G. Mancini 49, L. Mandelli 93a, I. Mandić 77, J. Maneira 127a,127b, L. Manhaes de Andrade Filho 26b, J. Manjarres Ramos 164b, A. Mann 101, A. Manousos 32, B. Mansoulie 137, J.D. Mansour 35a, R. Mantifel 89, M. Mantoani 56, S. Manzoni 93a,93b, L. Mapelli 32, G. Marceca 29, L. March 51, G. Marchiori 82, M. Marcisovsky 128, M. Marjanovic 14, D.E. Marley 91, F. Marroquim 26a, S.P. Marsden 86, Z. Marshall 16, S. Marti-Garcia 171, B. Martin 92, T.A. Martin 174, V.J. Martin 48, B. Martin dit Latour 15, M. Martinez 13,s, V.I. Martinez Outschoorn 170, S. Martin-Haugh 132, V.S. Martoiu 28b, A.C. Martyniuk 80, A. Marzin 32, L. Masetti 85, T. Mashimo 158, R. Mashinistov 97, J. Masik 86, A.L. Maslennikov 110,c, I. Massa 22a,22b, L. Massa 22a,22b, P. Mastrandrea 5, A. Mastroberardino 39a,39b, T. Masubuchi 158, P. Mättig 179, J. Mattmann 85, J. Maurer 28b, S.J. Maxfield 76, D.A. Maximov 110,c, R. Mazini 154, I. Maznas 157, S.M. Mazza 93a,93b, N.C. Mc Fadden 106, G. Mc Goldrick 162, S.P. Mc Kee 91, A. McCarn 91, R.L. McCarthy 151, T.G. McCarthy 102, L.I. McClymont 80, E.F. McDonald 90, J.A. McFayden 80, G. Mchedlidze 56, S.J. McMahon 132, R.A. McPherson 173,m, M. Medinnis 44, S. Meehan 139, S. Mehlhase 101, A. Mehta 76, K. Meier 60a, C. Meineck 101, B. Meirose 43, D. Melini 171, B.R. Mellado Garcia 148c, M. Melo 147a, F. Meloni 18, X. Meng 91, A. Mengarelli 22a,22b, S. Menke 102, E. Meoni 166, S. Mergelmeyer 17, P. Mermod 51, L. Merola 105a,105b, C. Meroni 93a, F.S. Merritt 33, A. Messina 133a,133b, J. Metcalfe 6, A.S. Mete 167, C. Meyer 85, C. Meyer 123, J-P. Meyer 137, J. Meyer 108, H. Meyer Zu Theenhausen 60a, F. Miano 152, R.P. Middleton 132, S. Miglioranzi 52a,52b, L. Mijović 48, G. Mikenberg 176, M. Mikestikova 128, M. Mikuž 77, M. Milesi 90, A. Milic 64, D.W. Miller 33, C. Mills 48, A. Milov 176, D.A. Milstead 149a,149b, A.A. Minaenko 131, Y. Minami 158, I.A. Minashvili 67, A.I. Mincer 111, B. Mindur 40a, M. Mineev 67, Y. Minegishi 158, Y. Ming 177, L.M. Mir 13, K.P. Mistry 123, T. Mitani 175, J. Mitrevski 101, V.A. Mitsou 171, A. Miucci 18, P.S. Miyagawa 142, J.U. Mjörnmark 83, M. Mlynarikova 130, T. Moa 149a,149b, K. Mochizuki 96, S. Mohapatra 37, S. Molander 149a,149b, R. Moles-Valls 23, R. Monden 70, M.C. Mondragon 92, K. Möning 44, J. Monk 38, E. Monnier 87, A. Montalbano 151, J. Montej Berlingen 32, F. Monticelli 73, S. Monzani 93a,93b, R.W. Moore 3, N. Morange 118, D. Moreno 21, M. Moreno Llácer 56, P. Morettini 52a, S. Morgenstern 32, D. Mori 145, T. Mori 158, M. Morii 58, M. Morinaga 158, V. Morisbak 120, S. Moritz 85, A.K. Morley 153, G. Mornacchi 32, J.D. Morris 78, S.S. Mortensen 38, L. Morvaj 151, M. Mosidze 53b, J. Moss 146,ad, K. Motohashi 160, R. Mount 146, E. Mountricha 27, E.J.W. Moyse 88, S. Muanza 87, R.D. Mudd 19, F. Mueller 102, J. Mueller 126, R.S.P. Mueller 101, T. Mueller 30, D. Muenstermann 74, P. Mullen 55, G.A. Mullier 18, F.J. Munoz Sanchez 86, J.A. Murillo Quijada 19, W.J. Murray 174,132, H. Musheghyan 56, M. Muškinja 77, A.G. Myagkov 131,ae, M. Myska 129, B.P. Nachman 146, O. Nackenhorst 51, K. Nagai 121, R. Nagai 68,z, K. Nagano 68, Y. Nagasaka 61, K. Nagata 165, M. Nagel 50, E. Nagy 87, A.M. Nairz 32, Y. Nakahama 104, K. Nakamura 68, T. Nakamura 158,

- I. Nakano ¹¹³, R.F. Naranjo Garcia ⁴⁴, R. Narayan ¹¹, D.I. Narrius Villar ^{60a}, I. Naryshkin ¹²⁴, T. Naumann ⁴⁴, G. Navarro ²¹, R. Nayyar ⁷, H.A. Neal ⁹¹, P.Yu. Nechaeva ⁹⁷, T.J. Neep ⁸⁶, A. Negri ^{122a,122b}, M. Negrini ^{22a}, S. Nektarijevic ¹⁰⁷, C. Nellist ¹¹⁸, A. Nelson ¹⁶⁷, S. Nemecek ¹²⁸, P. Nemethy ¹¹¹, A.A. Nepomuceno ^{26a}, M. Nessi ^{32,af}, M.S. Neubauer ¹⁷⁰, M. Neumann ¹⁷⁹, R.M. Neves ¹¹¹, P. Nevski ²⁷, P.R. Newman ¹⁹, D.H. Nguyen ⁶, T. Nguyen Manh ⁹⁶, R.B. Nickerson ¹²¹, R. Nicolaïdou ¹³⁷, J. Nielsen ¹³⁸, A. Nikiforov ¹⁷, V. Nikolaenko ^{131,ae}, I. Nikolic-Audit ⁸², K. Nikolopoulos ¹⁹, J.K. Nilsen ¹²⁰, P. Nilsson ²⁷, Y. Ninomiya ¹⁵⁸, A. Nisati ^{133a}, R. Nisius ¹⁰², T. Nobe ¹⁵⁸, M. Nomachi ¹¹⁹, I. Nomidis ³¹, T. Nooney ⁷⁸, S. Norberg ¹¹⁴, M. Nordberg ³², N. Norjoharuddeen ¹²¹, O. Novgorodova ⁴⁶, S. Nowak ¹⁰², M. Nozaki ⁶⁸, L. Nozka ¹¹⁶, K. Ntekas ¹⁶⁷, E. Nurse ⁸⁰, F. Nuti ⁹⁰, F. O'grady ⁷, D.C. O'Neil ¹⁴⁵, A.A. O'Rourke ⁴⁴, V. O'Shea ⁵⁵, F.G. Oakham ^{31,d}, H. Oberlack ¹⁰², T. Obermann ²³, J. Ocariz ⁸², A. Ochi ⁶⁹, I. Ochoa ³⁷, J.P. Ochoa-Ricoux ^{34a}, S. Oda ⁷², S. Odaka ⁶⁸, H. Ogren ⁶³, A. Oh ⁸⁶, S.H. Oh ⁴⁷, C.C. Ohm ¹⁶, H. Ohman ¹⁶⁹, H. Oide ^{52a,52b}, H. Okawa ¹⁶⁵, Y. Okumura ¹⁵⁸, T. Okuyama ⁶⁸, A. Olariu ^{28b}, L.F. Oleiro Seabra ^{127a}, S.A. Olivares Pino ⁴⁸, D. Oliveira Damazio ²⁷, A. Olszewski ⁴¹, J. Olszowska ⁴¹, A. Onofre ^{127a,127e}, K. Onogi ¹⁰⁴, P.U.E. Onyisi ^{11,w}, M.J. Oreglia ³³, Y. Oren ¹⁵⁶, D. Orestano ^{135a,135b}, N. Orlando ^{62b}, R.S. Orr ¹⁶², B. Osculati ^{52a,52b,*}, R. Ospanov ⁸⁶, G. Otero y Garzon ²⁹, H. Otono ⁷², M. Ouchrif ^{136d}, F. Ould-Saada ¹²⁰, A. Ouraou ¹³⁷, K.P. Oussoren ¹⁰⁸, Q. Ouyang ^{35a}, M. Owen ⁵⁵, R.E. Owen ¹⁹, V.E. Ozcan ^{20a}, N. Ozturk ⁸, K. Pachal ¹⁴⁵, A. Pacheco Pages ¹³, L. Pacheco Rodriguez ¹³⁷, C. Padilla Aranda ¹³, M. Pagáčová ⁵⁰, S. Pagan Griso ¹⁶, M. Paganini ¹⁸⁰, F. Paige ²⁷, P. Pais ⁸⁸, K. Pajchel ¹²⁰, G. Palacino ^{164b}, S. Palazzo ^{39a,39b}, S. Palestini ³², M. Palka ^{40b}, D. Pallin ³⁶, E. St. Panagiotopoulou ¹⁰, C.E. Pandini ⁸², J.G. Panduro Vazquez ⁷⁹, P. Pani ^{149a,149b}, S. Panitkin ²⁷, D. Pantea ^{28b}, L. Paolozzi ⁵¹, Th.D. Papadopoulou ¹⁰, K. Papageorgiou ¹⁵⁷, A. Paramonov ⁶, D. Paredes Hernandez ¹⁸⁰, A.J. Parker ⁷⁴, M.A. Parker ³⁰, K.A. Parker ¹⁴², F. Parodi ^{52a,52b}, J.A. Parsons ³⁷, U. Parzefall ⁵⁰, V.R. Pascuzzi ¹⁶², E. Pasqualucci ^{133a}, S. Passaggio ^{52a}, Fr. Pastore ⁷⁹, G. Pásztor ^{31,ag}, S. Pataraia ¹⁷⁹, J.R. Pater ⁸⁶, T. Pauly ³², J. Pearce ¹⁷³, B. Pearson ¹¹⁴, L.E. Pedersen ³⁸, M. Pedersen ¹²⁰, S. Pedraza Lopez ¹⁷¹, R. Pedro ^{127a,127b}, S.V. Peleganchuk ^{110,c}, O. Penc ¹²⁸, C. Peng ^{35a}, H. Peng ⁵⁹, J. Penwell ⁶³, B.S. Peralva ^{26b}, M.M. Perego ¹³⁷, D.V. Perepelitsa ²⁷, E. Perez Codina ^{164a}, L. Perini ^{93a,93b}, H. Pernegger ³², S. Perrella ^{105a,105b}, R. Peschke ⁴⁴, V.D. Peshekhonov ⁶⁷, K. Peters ⁴⁴, R.F.Y. Peters ⁸⁶, B.A. Petersen ³², T.C. Petersen ³⁸, E. Petit ⁵⁷, A. Petridis ¹, C. Petridou ¹⁵⁷, P. Petroff ¹¹⁸, E. Petrolo ^{133a}, M. Petrov ¹²¹, F. Petrucci ^{135a,135b}, N.E. Pettersson ⁸⁸, A. Peyaud ¹³⁷, R. Pezoa ^{34b}, P.W. Phillips ¹³², G. Piacquadio ^{146,ah}, E. Pianori ¹⁷⁴, A. Picazio ⁸⁸, E. Piccaro ⁷⁸, M. Piccinini ^{22a,22b}, M.A. Pickering ¹²¹, R. Piegaia ²⁹, J.E. Pilcher ³³, A.D. Pilkington ⁸⁶, A.W.J. Pin ⁸⁶, M. Pinamonti ^{168a,168c,ai}, J.L. Pinfold ³, A. Pingel ³⁸, S. Pires ⁸², H. Pirumov ⁴⁴, M. Pitt ¹⁷⁶, L. Plazak ^{147a}, M.-A. Pleier ²⁷, V. Pleskot ⁸⁵, E. Plotnikova ⁶⁷, P. Plucinski ⁹², D. Pluth ⁶⁶, R. Poettgen ^{149a,149b}, L. Poggioli ¹¹⁸, D. Pohl ²³, G. Polesello ^{122a}, A. Poley ⁴⁴, A. Policicchio ^{39a,39b}, R. Polifka ¹⁶², A. Polini ^{22a}, C.S. Pollard ⁵⁵, V. Polychronakos ²⁷, K. Pommès ³², L. Pontecorvo ^{133a}, B.G. Pope ⁹², G.A. Popeneiciu ^{28c}, A. Poppleton ³², S. Pospisil ¹²⁹, K. Potamianos ¹⁶, I.N. Potrap ⁶⁷, C.J. Potter ³⁰, C.T. Potter ¹¹⁷, G. Pouillard ³², J. Poveda ³², V. Pozdnyakov ⁶⁷, M.E. Pozo Astigarraga ³², P. Pralavorio ⁸⁷, A. Pranko ¹⁶, S. Prell ⁶⁶, D. Price ⁸⁶, L.E. Price ⁶, M. Primavera ^{75a}, S. Prince ⁸⁹, K. Prokofiev ^{62c}, F. Prokoshin ^{34b}, S. Protopopescu ²⁷, J. Proudfoot ⁶, M. Przybycien ^{40a}, D. Puddu ^{135a,135b}, M. Purohit ^{27,aj}, P. Puzo ¹¹⁸, J. Qian ⁹¹, G. Qin ⁵⁵, Y. Qin ⁸⁶, A. Quadt ⁵⁶, W.B. Quayle ^{168a,168b}, M. Queitsch-Maitland ⁴⁴, D. Quilty ⁵⁵, S. Raddum ¹²⁰, V. Radeka ²⁷, V. Radescu ¹²¹, S.K. Radhakrishnan ¹⁵¹, P. Radloff ¹¹⁷, P. Rados ⁹⁰, F. Ragusa ^{93a,93b}, G. Rahal ¹⁸², J.A. Raine ⁸⁶, S. Rajagopalan ²⁷, M. Rammensee ³², C. Rangel-Smith ¹⁶⁹, M.G. Ratti ^{93a,93b}, D.M. Rauch ⁴⁴, F. Rauscher ¹⁰¹, S. Rave ⁸⁵, T. Ravenscroft ⁵⁵, I. Ravinovich ¹⁷⁶, M. Raymond ³², A.L. Read ¹²⁰, N.P. Readioff ⁷⁶, M. Reale ^{75a,75b}, D.M. Rebuzzi ^{122a,122b}, A. Redelbach ¹⁷⁸, G. Redlinger ²⁷, R. Reece ¹³⁸, R.G. Reed ^{148c}, K. Reeves ⁴³, L. Rehnisch ¹⁷, J. Reichert ¹²³, A. Reiss ⁸⁵, C. Rembser ³², H. Ren ^{35a}, M. Rescigno ^{133a}, S. Resconi ^{93a}, O.L. Rezanova ^{110,c}, P. Reznicek ¹³⁰, R. Rezvani ⁹⁶, R. Richter ¹⁰², S. Richter ⁸⁰, E. Richter-Was ^{40b}, O. Ricken ²³, M. Ridel ⁸², P. Rieck ¹⁷, C.J. Riegel ¹⁷⁹, J. Rieger ⁵⁶, O. Rifki ¹¹⁴, M. Rijssenbeek ¹⁵¹, A. Rimoldi ^{122a,122b}, M. Rimoldi ¹⁸, L. Rinaldi ^{22a}, B. Ristić ⁵¹, E. Ritsch ³², I. Riu ¹³, F. Rizatdinova ¹¹⁵, E. Rizvi ⁷⁸, C. Rizzi ¹³, S.H. Robertson ^{89,m}, A. Robichaud-Veronneau ⁸⁹, D. Robinson ³⁰, J.E.M. Robinson ⁴⁴, A. Robson ⁵⁵, C. Roda ^{125a,125b}, Y. Rodina ^{87,ak}, A. Rodriguez Perez ¹³, D. Rodriguez Rodriguez ¹⁷¹, S. Roe ³², C.S. Rogan ⁵⁸, O. Røhne ¹²⁰, J. Roloff ⁵⁸, A. Romaniouk ⁹⁹, M. Romano ^{22a,22b}, S.M. Romano Saez ³⁶, E. Romero Adam ¹⁷¹, N. Rompotis ¹³⁹, M. Ronzani ⁵⁰, L. Roos ⁸², E. Ros ¹⁷¹, S. Rosati ^{133a}, K. Rosbach ⁵⁰, P. Rose ¹³⁸, N.-A. Rosien ⁵⁶, V. Rossetti ^{149a,149b}, E. Rossi ^{105a,105b},

- L.P. Rossi ^{52a}, J.H.N. Rosten ³⁰, R. Rosten ¹³⁹, M. Rotaru ^{28b}, I. Roth ¹⁷⁶, J. Rothberg ¹³⁹, D. Rousseau ¹¹⁸,
 A. Rozanov ⁸⁷, Y. Rozen ¹⁵⁵, X. Ruan ^{148c}, F. Rubbo ¹⁴⁶, M.S. Rudolph ¹⁶², F. Rühr ⁵⁰, A. Ruiz-Martinez ³¹,
 Z. Rurikova ⁵⁰, N.A. Rusakovich ⁶⁷, A. Ruschke ¹⁰¹, H.L. Russell ¹³⁹, J.P. Rutherford ⁷, N. Ruthmann ³²,
 Y.F. Ryabov ¹²⁴, M. Rybar ¹⁷⁰, G. Rybkin ¹¹⁸, S. Ryu ⁶, A. Ryzhov ¹³¹, G.F. Rzechorz ⁵⁶, A.F. Saavedra ¹⁵³,
 G. Sabato ¹⁰⁸, S. Sacerdoti ²⁹, H.F-W. Sadrozinski ¹³⁸, R. Sadykov ⁶⁷, F. Safai Tehrani ^{133a}, P. Saha ¹⁰⁹,
 M. Sahinsoy ^{60a}, M. Saimpert ¹³⁷, T. Saito ¹⁵⁸, H. Sakamoto ¹⁵⁸, Y. Sakurai ¹⁷⁵, G. Salamanna ^{135a,135b},
 A. Salamon ^{134a,134b}, J.E. Salazar Loyola ^{34b}, D. Salek ¹⁰⁸, P.H. Sales De Bruin ¹³⁹, D. Salihagic ¹⁰²,
 A. Salnikov ¹⁴⁶, J. Salt ¹⁷¹, D. Salvatore ^{39a,39b}, F. Salvatore ¹⁵², A. Salvucci ^{62a,62b,62c}, A. Salzburger ³²,
 D. Sammel ⁵⁰, D. Sampsonidis ¹⁵⁷, J. Sánchez ¹⁷¹, V. Sanchez Martinez ¹⁷¹, A. Sanchez Pineda ^{105a,105b},
 H. Sandaker ¹²⁰, R.L. Sandbach ⁷⁸, M. Sandhoff ¹⁷⁹, C. Sandoval ²¹, D.P.C. Sankey ¹³², M. Sannino ^{52a,52b},
 A. Sansoni ⁴⁹, C. Santoni ³⁶, R. Santonico ^{134a,134b}, H. Santos ^{127a}, I. Santoyo Castillo ¹⁵², K. Sapp ¹²⁶,
 A. Sapronov ⁶⁷, J.G. Saraiva ^{127a,127d}, B. Sarrazin ²³, O. Sasaki ⁶⁸, K. Sato ¹⁶⁵, E. Sauvan ⁵, G. Savage ⁷⁹,
 P. Savard ^{162,d}, N. Savic ¹⁰², C. Sawyer ¹³², L. Sawyer ^{81,r}, J. Saxon ³³, C. Sbarra ^{22a}, A. Sbrizzi ^{22a,22b},
 T. Scanlon ⁸⁰, D.A. Scannicchio ¹⁶⁷, M. Scarcella ¹⁵³, V. Scarfone ^{39a,39b}, J. Schaarschmidt ¹⁷⁶, P. Schacht ¹⁰²,
 B.M. Schachtner ¹⁰¹, D. Schaefer ³², L. Schaefer ¹²³, R. Schaefer ⁴⁴, J. Schaeffer ⁸⁵, S. Schaepe ²³,
 S. Schaetzl ^{60b}, U. Schäfer ⁸⁵, A.C. Schaffer ¹¹⁸, D. Schaile ¹⁰¹, R.D. Schamberger ¹⁵¹, V. Scharf ^{60a},
 V.A. Schegelsky ¹²⁴, D. Scheirich ¹³⁰, M. Schernau ¹⁶⁷, C. Schiavi ^{52a,52b}, S. Schier ¹³⁸, C. Schillo ⁵⁰,
 M. Schioppa ^{39a,39b}, S. Schlenker ³², K.R. Schmidt-Sommerfeld ¹⁰², K. Schmieden ³², C. Schmitt ⁸⁵,
 S. Schmitt ⁴⁴, S. Schmitz ⁸⁵, B. Schneider ^{164a}, U. Schnoor ⁵⁰, L. Schoeffel ¹³⁷, A. Schoening ^{60b},
 B.D. Schoenrock ⁹², E. Schopf ²³, M. Schott ⁸⁵, J.F.P. Schouwenberg ¹⁰⁷, J. Schovancova ⁸, S. Schramm ⁵¹,
 M. Schreyer ¹⁷⁸, N. Schuh ⁸⁵, A. Schulte ⁸⁵, M.J. Schultens ²³, H.-C. Schultz-Coulon ^{60a}, H. Schulz ¹⁷,
 M. Schumacher ⁵⁰, B.A. Schumm ¹³⁸, Ph. Schune ¹³⁷, A. Schwartzman ¹⁴⁶, T.A. Schwarz ⁹¹, H. Schweiger ⁸⁶,
 Ph. Schwemling ¹³⁷, R. Schwienhorst ⁹², J. Schwindling ¹³⁷, T. Schwindt ²³, G. Sciolla ²⁵, F. Scuri ^{125a,125b},
 F. Scutti ⁹⁰, J. Searcy ⁹¹, P. Seema ²³, S.C. Seidel ¹⁰⁶, A. Seiden ¹³⁸, F. Seifert ¹²⁹, J.M. Seixas ^{26a},
 G. Sekhniaidze ^{105a}, K. Sekhon ⁹¹, S.J. Sekula ⁴², D.M. Seliverstov ^{124,*}, N. Semprini-Cesari ^{22a,22b},
 C. Serfon ¹²⁰, L. Serin ¹¹⁸, L. Serkin ^{168a,168b}, M. Sessa ^{135a,135b}, R. Seuster ¹⁷³, H. Severini ¹¹⁴, T. Sfiligoj ⁷⁷,
 F. Sforza ³², A. Sfyrla ⁵¹, E. Shabalina ⁵⁶, N.W. Shaikh ^{149a,149b}, L.Y. Shan ^{35a}, R. Shang ¹⁷⁰, J.T. Shank ²⁴,
 M. Shapiro ¹⁶, P.B. Shatalov ⁹⁸, K. Shaw ^{168a,168b}, S.M. Shaw ⁸⁶, A. Shcherbakova ^{149a,149b}, C.Y. Shehu ¹⁵²,
 P. Sherwood ⁸⁰, L. Shi ^{154,al}, S. Shimizu ⁶⁹, C.O. Shimmin ¹⁶⁷, M. Shimojima ¹⁰³, S. Shirabe ⁷²,
 M. Shiyakova ^{67,am}, A. Shmeleva ⁹⁷, D. Shoaleh Saadi ⁹⁶, M.J. Shochet ³³, S. Shojaii ^{93a,93b}, D.R. Shope ¹¹⁴,
 S. Shrestha ¹¹², E. Shulga ⁹⁹, M.A. Shupe ⁷, P. Sicho ¹²⁸, A.M. Sickles ¹⁷⁰, P.E. Sidebo ¹⁵⁰,
 E. Sideras Haddad ^{148c}, O. Sidiropoulou ¹⁷⁸, D. Sidorov ¹¹⁵, A. Sidoti ^{22a,22b}, F. Siegert ⁴⁶, Dj. Sijacki ¹⁴,
 J. Silva ^{127a,127d}, S.B. Silverstein ^{149a}, V. Simak ¹²⁹, Lj. Simic ¹⁴, S. Simion ¹¹⁸, E. Simioni ⁸⁵, B. Simmons ⁸⁰,
 D. Simon ³⁶, M. Simon ⁸⁵, P. Sinervo ¹⁶², N.B. Sinev ¹¹⁷, M. Sioli ^{22a,22b}, G. Siragusa ¹⁷⁸,
 S.Yu. Sivoklokov ¹⁰⁰, J. Sjölin ^{149a,149b}, M.B. Skinner ⁷⁴, H.P. Skottowe ⁵⁸, P. Skubic ¹¹⁴, M. Slater ¹⁹,
 T. Slavicek ¹²⁹, M. Slawinska ¹⁰⁸, K. Sliwa ¹⁶⁶, R. Slovak ¹³⁰, V. Smakhtin ¹⁷⁶, B.H. Smart ⁵, L. Smestad ¹⁵,
 J. Smiesko ^{147a}, S.Yu. Smirnov ⁹⁹, Y. Smirnov ⁹⁹, L.N. Smirnova ^{100,an}, O. Smirnova ⁸³, M.N.K. Smith ³⁷,
 R.W. Smith ³⁷, M. Smizanska ⁷⁴, K. Smolek ¹²⁹, A.A. Snesarev ⁹⁷, I.M. Snyder ¹¹⁷, S. Snyder ²⁷,
 R. Sobie ^{173,m}, F. Socher ⁴⁶, A. Soffer ¹⁵⁶, D.A. Soh ¹⁵⁴, G. Sokhrannyi ⁷⁷, C.A. Solans Sanchez ³²,
 M. Solar ¹²⁹, E.Yu. Soldatov ⁹⁹, U. Soldevila ¹⁷¹, A.A. Solodkov ¹³¹, A. Soloshenko ⁶⁷, O.V. Solovsky ¹³¹,
 V. Solovyev ¹²⁴, P. Sommer ⁵⁰, H. Son ¹⁶⁶, H.Y. Song ^{59,ao}, A. Sood ¹⁶, A. Sopczak ¹²⁹, V. Sopko ¹²⁹,
 V. Sorin ¹³, D. Sosa ^{60b}, C.L. Sotiropoulou ^{125a,125b}, R. Soualah ^{168a,168c}, A.M. Soukharev ^{110,c}, D. South ⁴⁴,
 B.C. Sowden ⁷⁹, S. Spagnolo ^{75a,75b}, M. Spalla ^{125a,125b}, M. Spangenberg ¹⁷⁴, M. Spannowsky ^{ap}, F. Spanò ⁷⁹,
 D. Sperlich ¹⁷, F. Spettel ¹⁰², R. Spighi ^{22a}, G. Spigo ³², L.A. Spiller ⁹⁰, M. Spousta ¹³⁰, R.D. St. Denis ^{55,*},
 A. Stabile ^{93a}, R. Stamen ^{60a}, S. Stamm ¹⁷, E. Stancka ⁴¹, R.W. Stanek ⁶, C. Stanescu ^{135a},
 M. Stanescu-Bellu ⁴⁴, M.M. Stanitzki ⁴⁴, S. Stapnes ¹²⁰, E.A. Starchenko ¹³¹, G.H. Stark ³³, J. Stark ⁵⁷,
 P. Staroba ¹²⁸, P. Starovoitov ^{60a}, S. Stärz ³², R. Staszewski ⁴¹, P. Steinberg ²⁷, B. Stelzer ¹⁴⁵, H.J. Stelzer ³²,
 O. Stelzer-Chilton ^{164a}, H. Stenzel ⁵⁴, G.A. Stewart ⁵⁵, J.A. Stillings ²³, M.C. Stockton ⁸⁹, M. Stoebe ⁸⁹,
 G. Stoica ^{28b}, P. Stolte ⁵⁶, S. Stonjek ¹⁰², A.R. Stradling ⁸, A. Straessner ⁴⁶, M.E. Stramaglia ¹⁸,
 J. Strandberg ¹⁵⁰, S. Strandberg ^{149a,149b}, A. Strandlie ¹²⁰, M. Strauss ¹¹⁴, P. Strizenec ^{147b}, R. Ströhmer ¹⁷⁸,
 D.M. Strom ¹¹⁷, R. Stroynowski ⁴², A. Strubig ¹⁰⁷, S.A. Stucci ²⁷, B. Stugu ¹⁵, N.A. Styles ⁴⁴, D. Su ¹⁴⁶,
 J. Su ¹²⁶, S. Suchek ^{60a}, Y. Sugaya ¹¹⁹, M. Suk ¹²⁹, V.V. Sulin ⁹⁷, S. Sultansoy ^{4c}, T. Sumida ⁷⁰, S. Sun ⁵⁸,

- X. Sun ^{35a}, J.E. Sundermann ⁵⁰, K. Suruliz ¹⁵², G. Susinno ^{39a,39b}, M.R. Sutton ¹⁵², S. Suzuki ⁶⁸,
 M. Svatos ¹²⁸, M. Swiatlowski ³³, I. Sykora ^{147a}, T. Sykora ¹³⁰, D. Ta ⁵⁰, C. Taccini ^{135a,135b}, K. Tackmann ⁴⁴,
 J. Taenzer ¹⁶², A. Taffard ¹⁶⁷, R. Tafirout ^{164a}, N. Taiblum ¹⁵⁶, H. Takai ²⁷, R. Takashima ⁷¹, T. Takeshita ¹⁴³,
 Y. Takubo ⁶⁸, M. Talby ⁸⁷, A.A. Talyshев ^{110,c}, K.G. Tan ⁹⁰, J. Tanaka ¹⁵⁸, M. Tanaka ¹⁶⁰, R. Tanaka ¹¹⁸,
 S. Tanaka ⁶⁸, R. Tanioka ⁶⁹, B.B. Tannenwald ¹¹², S. Tapia Araya ^{34b}, S. Tapprogge ⁸⁵, S. Tarem ¹⁵⁵,
 G.F. Tartarelli ^{93a}, P. Tas ¹³⁰, M. Tasevsky ¹²⁸, T. Tashiro ⁷⁰, E. Tassi ^{39a,39b}, A. Tavares Delgado ^{127a,127b},
 Y. Tayalati ^{136e}, A.C. Taylor ¹⁰⁶, G.N. Taylor ⁹⁰, P.T.E. Taylor ⁹⁰, W. Taylor ^{164b}, F.A. Teischinger ³²,
 P. Teixeira-Dias ⁷⁹, K.K. Temming ⁵⁰, D. Temple ¹⁴⁵, H. Ten Kate ³², P.K. Teng ¹⁵⁴, J.J. Teoh ¹¹⁹, F. Tepel ¹⁷⁹,
 S. Terada ⁶⁸, K. Terashi ¹⁵⁸, J. Terron ⁸⁴, S. Terzo ¹³, M. Testa ⁴⁹, R.J. Teuscher ^{162,m}, T. Theveneaux-Pelzer ⁸⁷,
 J.P. Thomas ¹⁹, J. Thomas-Wilsker ⁷⁹, P.D. Thompson ¹⁹, A.S. Thompson ⁵⁵, L.A. Thomsen ¹⁸⁰,
 E. Thomson ¹²³, M.J. Tibbetts ¹⁶, R.E. Ticse Torres ⁸⁷, V.O. Tikhomirov ^{97,aq}, Yu.A. Tikhonov ^{110,c},
 S. Timoshenko ⁹⁹, P. Tipton ¹⁸⁰, S. Tisserant ⁸⁷, K. Todome ¹⁶⁰, T. Todorov ^{5,*}, S. Todorova-Nova ¹³⁰,
 J. Tojo ⁷², S. Tokár ^{147a}, K. Tokushuku ⁶⁸, E. Tolley ⁵⁸, L. Tomlinson ⁸⁶, M. Tomoto ¹⁰⁴, L. Tompkins ^{146,ar},
 K. Toms ¹⁰⁶, B. Tong ⁵⁸, P. Tornambe ⁵⁰, E. Torrence ¹¹⁷, H. Torres ¹⁴⁵, E. Torró Pastor ¹³⁹, J. Toth ^{87,as},
 F. Touchard ⁸⁷, D.R. Tovey ¹⁴², T. Trefzger ¹⁷⁸, A. Tricoli ²⁷, I.M. Trigger ^{164a}, S. Trincaz-Duvold ⁸²,
 M.F. Tripiana ¹³, W. Trischuk ¹⁶², B. Trocmé ⁵⁷, A. Trofymov ⁴⁴, C. Troncon ^{93a}, M. Trottier-McDonald ¹⁶,
 M. Trovatelli ¹⁷³, L. Truong ^{168a,168c}, M. Trzebinski ⁴¹, A. Trzupek ⁴¹, J.C.-L. Tseng ¹²¹, P.V. Tsiareshka ⁹⁴,
 G. Tsipolitis ¹⁰, N. Tsirintanis ⁹, S. Tsiskaridze ¹³, V. Tsiskaridze ⁵⁰, E.G. Tskhadadze ^{53a}, K.M. Tsui ^{62a},
 I.I. Tsukerman ⁹⁸, V. Tsulaia ¹⁶, S. Tsuno ⁶⁸, D. Tsybychev ¹⁵¹, Y. Tu ^{62b}, A. Tudorache ^{28b}, V. Tudorache ^{28b},
 A.N. Tuna ⁵⁸, S.A. Tupputi ^{22a,22b}, S. Turchikhin ⁶⁷, D. Turecek ¹²⁹, D. Turgeman ¹⁷⁶, R. Turra ^{93a,93b},
 P.M. Tuts ³⁷, M. Tyndel ¹³², G. Ucchielli ^{22a,22b}, I. Ueda ¹⁵⁸, M. Ughetto ^{149a,149b}, F. Ukegawa ¹⁶⁵, G. Unal ³²,
 A. Undrus ²⁷, G. Unel ¹⁶⁷, F.C. Ungaro ⁹⁰, Y. Unno ⁶⁸, C. Unverdorben ¹⁰¹, J. Urban ^{147b}, P. Urquijo ⁹⁰,
 P. Urrejola ⁸⁵, G. Usai ⁸, J. Usui ⁶⁸, L. Vacavant ⁸⁷, V. Vacek ¹²⁹, B. Vachon ⁸⁹, C. Valderanis ¹⁰¹,
 E. Valdes Santurio ^{149a,149b}, N. Valencic ¹⁰⁸, S. Valentinetto ^{22a,22b}, A. Valero ¹⁷¹, L. Valery ¹³, S. Valkar ¹³⁰,
 J.A. Valls Ferrer ¹⁷¹, W. Van Den Wollenberg ¹⁰⁸, P.C. Van Der Deijl ¹⁰⁸, H. van der Graaf ¹⁰⁸,
 N. van Eldik ¹⁵⁵, P. van Gemmeren ⁶, J. Van Nieuwkoop ¹⁴⁵, I. van Vulpen ¹⁰⁸, M.C. van Woerden ¹⁰⁸,
 M. Vanadia ^{133a,133b}, W. Vandelli ³², R. Vanguri ¹²³, A. Vaniachine ¹⁶¹, P. Vankov ¹⁰⁸, G. Vardanyan ¹⁸¹,
 R. Vari ^{133a}, E.W. Varnes ⁷, T. Varol ⁴², D. Varouchas ⁸², A. Vartapetian ⁸, K.E. Varvell ¹⁵³, J.G. Vasquez ¹⁸⁰,
 G.A. Vasquez ^{34b}, F. Vazeille ³⁶, T. Vazquez Schroeder ⁸⁹, J. Veatch ⁵⁶, V. Veeraraghavan ⁷, L.M. Veloce ¹⁶²,
 F. Veloso ^{127a,127c}, S. Veneziano ^{133a}, A. Ventura ^{75a,75b}, M. Venturi ¹⁷³, N. Venturi ¹⁶², A. Venturini ²⁵,
 V. Vercesi ^{122a}, M. Verducci ^{133a,133b}, W. Verkerke ¹⁰⁸, J.C. Vermeulen ¹⁰⁸, A. Vest ^{46,at}, M.C. Vetterli ^{145,d},
 O. Viazlo ⁸³, I. Vichou ^{170,*}, T. Vickey ¹⁴², O.E. Vickey Boeriu ¹⁴², G.H.A. Viehhauser ¹²¹, S. Viel ¹⁶,
 L. Vigani ¹²¹, M. Villa ^{22a,22b}, M. Villaplana Perez ^{93a,93b}, E. Vilucchi ⁴⁹, M.G. Vinchter ³¹, V.B. Vinogradov ⁶⁷,
 C. Vittori ^{22a,22b}, I. Vivarelli ¹⁵², S. Vlachos ¹⁰, M. Vlasak ¹²⁹, M. Vogel ¹⁷⁹, P. Vokac ¹²⁹, G. Volpi ^{125a,125b},
 M. Volpi ⁹⁰, H. von der Schmitt ¹⁰², E. von Toerne ²³, V. Vorobel ¹³⁰, K. Vorobev ⁹⁹, M. Vos ¹⁷¹, R. Voss ³²,
 J.H. Vossebeld ⁷⁶, N. Vranjes ¹⁴, M. Vranjes Milosavljevic ¹⁴, V. Vrba ¹²⁸, M. Vreeswijk ¹⁰⁸, R. Vuillermet ³²,
 I. Vukotic ³³, Z. Vykydal ¹²⁹, P. Wagner ²³, W. Wagner ¹⁷⁹, H. Wahlberg ⁷³, S. Wahrmund ⁴⁶,
 J. Wakabayashi ¹⁰⁴, J. Walder ⁷⁴, R. Walker ¹⁰¹, W. Walkowiak ¹⁴⁴, V. Wallangen ^{149a,149b}, C. Wang ^{35b},
 C. Wang ^{140,87}, F. Wang ¹⁷⁷, H. Wang ¹⁶, H. Wang ⁴², J. Wang ⁴⁴, J. Wang ¹⁵³, K. Wang ⁸⁹, R. Wang ⁶,
 S.M. Wang ¹⁵⁴, T. Wang ²³, T. Wang ³⁷, W. Wang ⁵⁹, C. Wanotayaroj ¹¹⁷, A. Warburton ⁸⁹, C.P. Ward ³⁰,
 D.R. Wardrope ⁸⁰, A. Washbrook ⁴⁸, P.M. Watkins ¹⁹, A.T. Watson ¹⁹, M.F. Watson ¹⁹, G. Watts ¹³⁹,
 S. Watts ⁸⁶, B.M. Waugh ⁸⁰, S. Webb ⁸⁵, M.S. Weber ¹⁸, S.W. Weber ¹⁷⁸, S.A. Weber ³¹, J.S. Webster ⁶,
 A.R. Weidberg ¹²¹, B. Weinert ⁶³, J. Weingarten ⁵⁶, C. Weiser ⁵⁰, H. Weits ¹⁰⁸, P.S. Wells ³², T. Wenaus ²⁷,
 T. Wengler ³², S. Wenig ³², N. Wermes ²³, M. Werner ⁵⁰, M.D. Werner ⁶⁶, P. Werner ³², M. Wessels ^{60a},
 J. Wetter ¹⁶⁶, K. Whalen ¹¹⁷, N.L. Whallon ¹³⁹, A.M. Wharton ⁷⁴, A. White ⁸, M.J. White ¹, R. White ^{34b},
 D. Whiteson ¹⁶⁷, F.J. Wickens ¹³², W. Wiedenmann ¹⁷⁷, M. Wielers ¹³², C. Wiglesworth ³⁸,
 L.A.M. Wiik-Fuchs ²³, A. Wildauer ¹⁰², F. Wilk ⁸⁶, H.G. Wilkens ³², H.H. Williams ¹²³, S. Williams ¹⁰⁸,
 C. Willis ⁹², S. Willocq ⁸⁸, J.A. Wilson ¹⁹, I. Wingerter-Seez ⁵, F. Winklmeier ¹¹⁷, O.J. Winston ¹⁵²,
 B.T. Winter ²³, M. Wittgen ¹⁴⁶, J. Wittkowski ¹⁰¹, T.M.H. Wolf ¹⁰⁸, M.W. Wolter ⁴¹, H. Wolters ^{127a,127c},
 S.D. Worm ¹³², B.K. Wosiek ⁴¹, J. Wotschack ³², M.J. Woudstra ⁸⁶, K.W. Wozniak ⁴¹, M. Wu ⁵⁷, M. Wu ³³,
 S.L. Wu ¹⁷⁷, X. Wu ⁵¹, Y. Wu ⁹¹, T.R. Wyatt ⁸⁶, B.M. Wynne ⁴⁸, S. Xella ³⁸, D. Xu ^{35a}, L. Xu ²⁷, B. Yabsley ¹⁵³,
 S. Yacoob ^{148a}, D. Yamaguchi ¹⁶⁰, Y. Yamaguchi ¹¹⁹, A. Yamamoto ⁶⁸, S. Yamamoto ¹⁵⁸, T. Yamanaka ¹⁵⁸,

K. Yamauchi ¹⁰⁴, Y. Yamazaki ⁶⁹, Z. Yan ²⁴, H. Yang ¹⁴¹, H. Yang ¹⁷⁷, Y. Yang ¹⁵⁴, Z. Yang ¹⁵, W-M. Yao ¹⁶, Y.C. Yap ⁸², Y. Yasu ⁶⁸, E. Yatsenko ⁵, K.H. Yau Wong ²³, J. Ye ⁴², S. Ye ²⁷, I. Yeletskikh ⁶⁷, E. Yildirim ⁸⁵, K. Yorita ¹⁷⁵, R. Yoshida ⁶, K. Yoshihara ¹²³, C. Young ¹⁴⁶, C.J.S. Young ³², S. Youssef ²⁴, D.R. Yu ¹⁶, J. Yu ⁸, J.M. Yu ⁹¹, J. Yu ⁶⁶, L. Yuan ⁶⁹, S.P.Y. Yuen ²³, I. Yusuff ^{30, au}, B. Zabinski ⁴¹, R. Zaidan ⁶⁵, A.M. Zaitsev ^{131, ae}, N. Zakharchuk ⁴⁴, J. Zalieckas ¹⁵, A. Zaman ¹⁵¹, S. Zambito ⁵⁸, L. Zanello ^{133a, 133b}, D. Zanzi ⁹⁰, C. Zeitnitz ¹⁷⁹, M. Zeman ¹²⁹, A. Zemla ^{40a}, J.C. Zeng ¹⁷⁰, Q. Zeng ¹⁴⁶, O. Zenin ¹³¹, T. Ženiš ^{147a}, D. Zerwas ¹¹⁸, D. Zhang ⁹¹, F. Zhang ¹⁷⁷, G. Zhang ^{59, ao}, H. Zhang ^{35b}, J. Zhang ⁶, L. Zhang ⁵⁰, M. Zhang ¹⁷⁰, R. Zhang ²³, R. Zhang ^{59, av}, X. Zhang ¹⁴⁰, Z. Zhang ¹¹⁸, X. Zhao ⁴², Y. Zhao ¹⁴⁰, Z. Zhao ⁵⁹, A. Zhemchugov ⁶⁷, J. Zhong ¹²¹, B. Zhou ⁹¹, C. Zhou ¹⁷⁷, L. Zhou ³⁷, L. Zhou ⁴², M. Zhou ¹⁵¹, N. Zhou ^{35c}, C.G. Zhu ¹⁴⁰, H. Zhu ^{35a}, J. Zhu ⁹¹, Y. Zhu ⁵⁹, X. Zhuang ^{35a}, K. Zhukov ⁹⁷, A. Zibell ¹⁷⁸, D. Ziemska ⁶³, N.I. Zimine ⁶⁷, C. Zimmermann ⁸⁵, S. Zimmermann ⁵⁰, Z. Zinonos ⁵⁶, M. Zinser ⁸⁵, M. Ziolkowski ¹⁴⁴, L. Živković ¹⁴, G. Zobernig ¹⁷⁷, A. Zoccoli ^{22a, 22b}, M. zur Nedden ¹⁷, L. Zwalski ³²

¹ Department of Physics, University of Adelaide, Adelaide, Australia² Physics Department, SUNY Albany, Albany, NY, United States³ Department of Physics, University of Alberta, Edmonton, AB, Canada⁴ (a) Department of Physics, Ankara University, Ankara; (b) Istanbul Aydin University, Istanbul; (c) Division of Physics, TOBB University of Economics and Technology, Ankara, Turkey⁵ LAPP, CNRS/IN2P3 and Université Savoie Mont Blanc, Annecy-le-Vieux, France⁶ High Energy Physics Division, Argonne National Laboratory, Argonne, IL, United States⁷ Department of Physics, University of Arizona, Tucson, AZ, United States⁸ Department of Physics, The University of Texas at Arlington, Arlington, TX, United States⁹ Physics Department, University of Athens, Athens, Greece¹⁰ Physics Department, National Technical University of Athens, Zografou, Greece¹¹ Department of Physics, The University of Texas at Austin, Austin, TX, United States¹² Institute of Physics, Azerbaijan Academy of Sciences, Baku, Azerbaijan¹³ Institut de Física d'Altes Energies (IFAE), The Barcelona Institute of Science and Technology, Barcelona, Spain¹⁴ Institute of Physics, University of Belgrade, Belgrade, Serbia¹⁵ Department for Physics and Technology, University of Bergen, Bergen, Norway¹⁶ Physics Division, Lawrence Berkeley National Laboratory and University of California, Berkeley, CA, United States¹⁷ Department of Physics, Humboldt University, Berlin, Germany¹⁸ Albert Einstein Center for Fundamental Physics and Laboratory for High Energy Physics, University of Bern, Bern, Switzerland¹⁹ School of Physics and Astronomy, University of Birmingham, Birmingham, United Kingdom²⁰ (a) Department of Physics, Bogazici University, Istanbul; (b) Department of Physics Engineering, Gaziantep University, Gaziantep; (d) Istanbul Bilgi University, Faculty of Engineering and Natural Sciences, Istanbul, Turkey; (e) Bahcesehir University, Faculty of Engineering and Natural Sciences, Istanbul, Turkey²¹ Centro de Investigaciones, Universidad Antonio Narino, Bogota, Colombia²² (a) INFN Sezione di Bologna; (b) Dipartimento di Fisica e Astronomia, Università di Bologna, Bologna, Italy²³ Physikalisches Institut, University of Bonn, Bonn, Germany²⁴ Department of Physics, Boston University, Boston, MA, United States²⁵ Department of Physics, Brandeis University, Waltham, MA, United States²⁶ (a) Universidade Federal do Rio De Janeiro COPPE/EE/IF, Rio de Janeiro; (b) Electrical Circuits Department, Federal University of Juiz de Fora (UFJF), Juiz de Fora; (c) Federal University of Sao Joao del Rei (UFSJ), Sao Joao del Rei; (d) Instituto de Física, Universidade de Sao Paulo, Sao Paulo, Brazil²⁷ Physics Department, Brookhaven National Laboratory, Upton, NY, United States²⁸ (a) Transilvania University of Brasov, Brasov, Romania; (b) National Institute of Physics and Nuclear Engineering, Bucharest; (c) National Institute for Research and Development of Isotopic and Molecular Technologies, Physics Department, Cluj Napoca; (d) University Politehnica Bucharest, Bucharest; (e) West University in Timisoara, Timisoara, Romania²⁹ Departamento de Física, Universidad de Buenos Aires, Buenos Aires, Argentina³⁰ Cavendish Laboratory, University of Cambridge, Cambridge, United Kingdom³¹ Department of Physics, Carleton University, Ottawa, ON, Canada³² CERN, Switzerland³³ Enrico Fermi Institute, University of Chicago, Chicago, IL, United States³⁴ (a) Departamento de Física, Pontifícia Universidad Católica de Chile, Santiago; (b) Departamento de Física, Universidad Técnica Federico Santa María, Valparaíso, Chile³⁵ (a) Institute of High Energy Physics, Chinese Academy of Sciences, Beijing; (b) Department of Physics, Nanjing University, Jiangsu; (c) Physics Department, Tsinghua University, Beijing 100084, China³⁶ Laboratoire de Physique Corpusculaire, Clermont Université and Université Blaise Pascal and CNRS/IN2P3, Clermont-Ferrand, France³⁷ Nevis Laboratory, Columbia University, Irvington, NY, United States³⁸ Niels Bohr Institute, University of Copenhagen, Copenhagen, Denmark³⁹ (a) INFN Gruppo Collegato di Cosenza, Laboratori Nazionali di Frascati; (b) Dipartimento di Fisica, Università della Calabria, Rende, Italy⁴⁰ (a) AGH University of Science and Technology, Faculty of Physics and Applied Computer Science, Krakow; (b) Marian Smoluchowski Institute of Physics, Jagiellonian University, Krakow, Poland⁴¹ Institute of Nuclear Physics Polish Academy of Sciences, Krakow, Poland⁴² Physics Department, Southern Methodist University, Dallas, TX, United States⁴³ Physics Department, University of Texas at Dallas, Richardson, TX, United States⁴⁴ DESY, Hamburg and Zeuthen, Germany⁴⁵ Lehrstuhl für Experimentelle Physik IV, Technische Universität Dortmund, Dortmund, Germany⁴⁶ Institut für Kern- und Teilchenphysik, Technische Universität Dresden, Dresden, Germany⁴⁷ Department of Physics, Duke University, Durham, NC, United States⁴⁸ SUPA - School of Physics and Astronomy, University of Edinburgh, Edinburgh, United Kingdom⁴⁹ INFN Laboratori Nazionali di Frascati, Frascati, Italy⁵⁰ Fakultät für Mathematik und Physik, Albert-Ludwigs-Universität, Freiburg, Germany⁵¹ Section de Physique, Université de Genève, Geneva, Switzerland⁵² (a) INFN Sezione di Genova; (b) Dipartimento di Fisica, Università di Genova, Genova, Italy⁵³ (a) E. Andronikashvili Institute of Physics, Iv. Javakhishvili Tbilisi State University, Tbilisi; (b) High Energy Physics Institute, Tbilisi State University, Tbilisi, Georgia⁵⁴ II Physikalisches Institut, Justus-Liebig-Universität Giessen, Giessen, Germany⁵⁵ SUPA - School of Physics and Astronomy, University of Glasgow, Glasgow, United Kingdom

- ⁵⁶ II Physikalisches Institut, Georg-August-Universität, Göttingen, Germany
⁵⁷ Laboratoire de Physique Subatomique et de Cosmologie, Université Grenoble-Alpes, CNRS/IN2P3, Grenoble, France
⁵⁸ Laboratory for Particle Physics and Cosmology, Harvard University, Cambridge, MA, United States
⁵⁹ Department of Modern Physics, University of Science and Technology of China, Anhui, China
⁶⁰ ^(a) Kirchhoff-Institut für Physik, Ruprecht-Karls-Universität Heidelberg, Heidelberg; ^(b) Physikalisches Institut, Ruprecht-Karls-Universität Heidelberg, Heidelberg; ^(c) ZITI Institut für technische Informatik, Ruprecht-Karls-Universität Heidelberg, Mannheim, Germany
⁶¹ Faculty of Applied Information Science, Hiroshima Institute of Technology, Hiroshima, Japan
⁶² ^(a) Department of Physics, The Chinese University of Hong Kong, Shatin, N.T., Hong Kong; ^(b) Department of Physics, The University of Hong Kong, Hong Kong; ^(c) Department of Physics and Institute for Advanced Study, The Hong Kong University of Science and Technology, Clear Water Bay, Kowloon, Hong Kong, China
⁶³ Department of Physics, Indiana University, Bloomington, IN, United States
⁶⁴ Institut für Astro- und Teilchenphysik, Leopold-Franzens-Universität, Innsbruck, Austria
⁶⁵ University of Iowa, Iowa City, IA, United States
⁶⁶ Department of Physics and Astronomy, Iowa State University, Ames, IA, United States
⁶⁷ Joint Institute for Nuclear Research, JINR Dubna, Dubna, Russia
⁶⁸ KEK, High Energy Accelerator Research Organization, Tsukuba, Japan
⁶⁹ Graduate School of Science, Kobe University, Kobe, Japan
⁷⁰ Faculty of Science, Kyoto University, Kyoto, Japan
⁷¹ Kyoto University of Education, Kyoto, Japan
⁷² Department of Physics, Kyushu University, Fukuoka, Japan
⁷³ Instituto de Física La Plata, Universidad Nacional de La Plata and CONICET, La Plata, Argentina
⁷⁴ Physics Department, Lancaster University, Lancaster, United Kingdom
⁷⁵ ^(a) INFN Sezione di Lecce; ^(b) Dipartimento di Matematica e Fisica, Università del Salento, Lecce, Italy
⁷⁶ Oliver Lodge Laboratory, University of Liverpool, Liverpool, United Kingdom
⁷⁷ Department of Physics, Jožef Stefan Institute and University of Ljubljana, Ljubljana, Slovenia
⁷⁸ School of Physics and Astronomy, Queen Mary University of London, London, United Kingdom
⁷⁹ Department of Physics, Royal Holloway University of London, Surrey, United Kingdom
⁸⁰ Department of Physics and Astronomy, University College London, London, United Kingdom
⁸¹ Louisiana Tech University, Ruston, LA, United States
⁸² Laboratoire de Physique Nucléaire et de Hautes Energies, UPMC and Université Paris-Diderot and CNRS/IN2P3, Paris, France
⁸³ Fysiska institutionen, Lunds universitet, Lund, Sweden
⁸⁴ Departamento de Física Teórica C-15, Universidad Autónoma de Madrid, Madrid, Spain
⁸⁵ Institut für Physik, Universität Mainz, Mainz, Germany
⁸⁶ School of Physics and Astronomy, University of Manchester, Manchester, United Kingdom
⁸⁷ CPPM, Aix-Marseille Université and CNRS/IN2P3, Marseille, France
⁸⁸ Department of Physics, University of Massachusetts, Amherst, MA, United States
⁸⁹ Department of Physics, McGill University, Montreal, QC, Canada
⁹⁰ School of Physics, University of Melbourne, Victoria, Australia
⁹¹ Department of Physics, The University of Michigan, Ann Arbor, MI, United States
⁹² Department of Physics and Astronomy, Michigan State University, East Lansing, MI, United States
⁹³ ^(a) INFN Sezione di Milano; ^(b) Dipartimento di Fisica, Università di Milano, Milano, Italy
⁹⁴ B.I. Stepanov Institute of Physics, National Academy of Sciences of Belarus, Minsk, Belarus
⁹⁵ National Scientific and Educational Centre for Particle and High Energy Physics, Minsk, Belarus
⁹⁶ Group of Particle Physics, University of Montreal, Montreal, QC, Canada
⁹⁷ P.N. Lebedev Physical Institute of the Russian Academy of Sciences, Moscow, Russia
⁹⁸ Institute for Theoretical and Experimental Physics (ITEP), Moscow, Russia
⁹⁹ National Research Nuclear University MEPhI, Moscow, Russia
¹⁰⁰ D.V. Skobeltsyn Institute of Nuclear Physics, M.V. Lomonosov Moscow State University, Moscow, Russia
¹⁰¹ Fakultät für Physik, Ludwig-Maximilians-Universität München, München, Germany
¹⁰² Max-Planck-Institut für Physik (Werner-Heisenberg-Institut), München, Germany
¹⁰³ Nagasaki Institute of Applied Science, Nagasaki, Japan
¹⁰⁴ Graduate School of Science and Kobayashi-Maskawa Institute, Nagoya University, Nagoya, Japan
¹⁰⁵ ^(a) INFN Sezione di Napoli; ^(b) Dipartimento di Fisica, Università di Napoli, Napoli, Italy
¹⁰⁶ Department of Physics and Astronomy, University of New Mexico, Albuquerque, NM, United States
¹⁰⁷ Institute for Mathematics, Astrophysics and Particle Physics, Radboud University Nijmegen/Nikhef, Nijmegen, Netherlands
¹⁰⁸ Nikhef National Institute for Subatomic Physics and University of Amsterdam, Amsterdam, Netherlands
¹⁰⁹ Department of Physics, Northern Illinois University, DeKalb, IL, United States
¹¹⁰ Budker Institute of Nuclear Physics, SB RAS, Novosibirsk, Russia
¹¹¹ Department of Physics, New York University, New York, NY, United States
¹¹² Ohio State University, Columbus, OH, United States
¹¹³ Faculty of Science, Okayama University, Okayama, Japan
¹¹⁴ Homer L. Dodge Department of Physics and Astronomy, University of Oklahoma, Norman, OK, United States
¹¹⁵ Department of Physics, Oklahoma State University, Stillwater, OK, United States
¹¹⁶ Palacký University, RCPTM, Olomouc, Czechia
¹¹⁷ Center for High Energy Physics, University of Oregon, Eugene, OR, United States
¹¹⁸ LAL, Univ. Paris-Sud, CNRS/IN2P3, Université Paris-Saclay, Orsay, France
¹¹⁹ Graduate School of Science, Osaka University, Osaka, Japan
¹²⁰ Department of Physics, University of Oslo, Oslo, Norway
¹²¹ Department of Physics, Oxford University, Oxford, United Kingdom
¹²² ^(a) INFN Sezione di Pavia; ^(b) Dipartimento di Fisica, Università di Pavia, Pavia, Italy
¹²³ Department of Physics, University of Pennsylvania, Philadelphia, PA, United States
¹²⁴ National Research Centre "Kurchatov Institute" B.P.Konstantinov Petersburg Nuclear Physics Institute, St. Petersburg, Russia
¹²⁵ ^(a) INFN Sezione di Pisa; ^(b) Dipartimento di Fisica E. Fermi, Università di Pisa, Pisa, Italy
¹²⁶ Department of Physics and Astronomy, University of Pittsburgh, Pittsburgh, PA, United States
¹²⁷ ^(a) Laboratório de Instrumentação e Física Experimental de Partículas - LIP, Lisboa; ^(b) Faculdade de Ciências, Universidade de Lisboa, Lisboa; ^(c) Department of Physics, University of Coimbra, Coimbra; ^(d) Centro de Física Nuclear da Universidade de Lisboa, Lisboa; ^(e) Departamento de Física, Universidade do Minho, Braga; ^(f) Departamento de Física Teórica y del Cosmos and CAFPE, Universidad de Granada, Granada (Spain); ^(g) Dep Física and CEFITEC of Faculdade de Ciencias e Tecnología, Universidade Nova de Lisboa, Caparica, Portugal
¹²⁸ Institute of Physics, Academy of Sciences of the Czech Republic, Praha, Czechia
¹²⁹ Czech Technical University in Prague, Praha, Czechia
¹³⁰ Faculty of Mathematics and Physics, Charles University in Prague, Praha, Czechia

- 131 State Research Center Institute for High Energy Physics (Protvino), NRC KI, Russia
 132 Particle Physics Department, Rutherford Appleton Laboratory, Didcot, United Kingdom
 133 (a) INFN Sezione di Roma; (b) Dipartimento di Fisica, Sapienza Università di Roma, Roma, Italy
 134 (a) INFN Sezione di Roma Tor Vergata; (b) Dipartimento di Fisica, Università di Roma Tor Vergata, Roma, Italy
 135 (a) INFN Sezione di Roma Tre; (b) Dipartimento di Matematica e Fisica, Università Roma Tre, Roma, Italy
 136 (a) Faculté des Sciences Ain Chock, Réseau Universitaire de Physique des Hautes Energies - Université Hassan II, Casablanca; (b) Centre National de l'Energie des Sciences Techniques Nucléaires, Rabat; (c) Faculté des Sciences Semlalia, Université Cadi Ayyad, LPHEA-Marrakech; (d) Faculté des Sciences, Université Mohamed Premier and LPTPM, Oujda; (e) Faculté des sciences, Université Mohammed V, Rabat, Morocco
 137 DSM/IRFU (Institut de Recherches sur les Lois Fondamentales de l'Univers), CEA Saclay (Commissariat à l'Energie Atomique et aux Energies Alternatives), Gif-sur-Yvette, France
 138 Santa Cruz Institute for Particle Physics, University of California Santa Cruz, Santa Cruz, CA, United States
 139 Department of Physics, University of Washington, Seattle, WA, United States
 140 School of Physics, Shandong University, Shandong, China
 141 Department of Physics and Astronomy, Shanghai Key Laboratory for Particle Physics and Cosmology, Shanghai Jiao Tong University, Shanghai, China ^{1W}
 142 Department of Physics and Astronomy, University of Sheffield, Sheffield, United Kingdom
 143 Department of Physics, Shinshu University, Nagano, Japan
 144 Fachbereich Physik, Universität Siegen, Siegen, Germany
 145 Department of Physics, Simon Fraser University, Burnaby, BC, Canada
 146 SLAC National Accelerator Laboratory, Stanford, CA, United States
 147 (a) Faculty of Mathematics, Physics & Informatics, Comenius University, Bratislava; (b) Department of Subnuclear Physics, Institute of Experimental Physics of the Slovak Academy of Sciences, Kosice, Slovak Republic
 148 (a) Department of Physics, University of Cape Town, Cape Town; (b) Department of Physics, University of Johannesburg, Johannesburg; (c) School of Physics, University of the Witwatersrand, Johannesburg, South Africa
 149 (a) Department of Physics, Stockholm University; (b) The Oskar Klein Centre, Stockholm, Sweden
 150 Physics Department, Royal Institute of Technology, Stockholm, Sweden
 151 Departments of Physics & Astronomy and Chemistry, Stony Brook University, Stony Brook, NY, United States
 152 Department of Physics and Astronomy, University of Sussex, Brighton, United Kingdom
 153 School of Physics, University of Sydney, Sydney, Australia
 154 Institute of Physics, Academia Sinica, Taipei, Taiwan
 155 Department of Physics, Technion: Israel Institute of Technology, Haifa, Israel
 156 Raymond and Beverly Sackler School of Physics and Astronomy, Tel Aviv University, Tel Aviv, Israel
 157 Department of Physics, Aristotle University of Thessaloniki, Thessaloniki, Greece
 158 International Center for Elementary Particle Physics and Department of Physics, The University of Tokyo, Tokyo, Japan
 159 Graduate School of Science and Technology, Tokyo Metropolitan University, Tokyo, Japan
 160 Department of Physics, Tokyo Institute of Technology, Tokyo, Japan
 161 Tomsk State University, Tomsk, Russia
 162 Department of Physics, University of Toronto, Toronto, ON, Canada
 163 (a) INFN-TIFPA; (b) University of Trento, Trento, Italy
 164 (a) TRIUMF, Vancouver, BC; (b) Department of Physics and Astronomy, York University, Toronto, ON, Canada
 165 Faculty of Pure and Applied Sciences, and Center for Integrated Research in Fundamental Science and Engineering, University of Tsukuba, Tsukuba, Japan
 166 Department of Physics and Astronomy, Tufts University, Medford, MA, United States
 167 Department of Physics and Astronomy, University of California Irvine, Irvine, CA, United States
 168 (a) INFN Gruppo Collegato di Udine, Sezione di Trieste, Udine; (b) ICTP, Trieste; (c) Dipartimento di Chimica, Fisica e Ambiente, Università di Udine, Udine, Italy
 169 Department of Physics and Astronomy, University of Uppsala, Uppsala, Sweden
 170 Department of Physics, University of Illinois, Urbana, IL, United States
 171 Instituto de Física Corpuscular (IFIC) and Departamento de Física Atómica, Molecular y Nuclear and Departamento de Ingeniería Electrónica and Instituto de Microelectrónica de Barcelona (IMB-CNM), University of Valencia and CSIC, Valencia, Spain
 172 Department of Physics, University of British Columbia, Vancouver, BC, Canada
 173 Department of Physics and Astronomy, University of Victoria, Victoria, BC, Canada
 174 Department of Physics, University of Warwick, Coventry, United Kingdom
 175 Waseda University, Tokyo, Japan
 176 Department of Particle Physics, The Weizmann Institute of Science, Rehovot, Israel
 177 Department of Physics, University of Wisconsin, Madison, WI, United States
 178 Fakultät für Physik und Astronomie, Julius-Maximilians-Universität, Würzburg, Germany
 179 Fakultät für Mathematik und Naturwissenschaften, Fachgruppe Physik, Bergische Universität Wuppertal, Wuppertal, Germany
 180 Department of Physics, Yale University, New Haven, CT, United States
 181 Yerevan Physics Institute, Yerevan, Armenia
 182 Centre de Calcul de l'Institut National de Physique Nucléaire et de Physique des Particules (IN2P3), Villeurbanne, France

^a Also at Department of Physics, King's College London, London, United Kingdom.^b Also at Institute of Physics, Azerbaijan Academy of Sciences, Baku, Azerbaijan.^c Also at Novosibirsk State University, Novosibirsk, Russia.^d Also at TRIUMF, Vancouver BC, Canada.^e Also at Department of Physics & Astronomy, University of Louisville, Louisville, KY, United States.^f Also at Physics Department, An-Najah National University, Nablus, Palestine.^g Also at Department of Physics, California State University, Fresno, CA, United States.^h Also at Department of Physics, University of Fribourg, Fribourg, Switzerland.ⁱ Also at Departament de Física de la Universitat Autònoma de Barcelona, Barcelona, Spain.^j Also at Departamento de Física e Astronomía, Faculdade de Ciencias, Universidade do Porto, Portugal.^k Also at Tomsk State University, Tomsk, Russia, Russia.^l Also at Universita di Napoli Parthenope, Napoli, Italy.^m Also at Institute of Particle Physics (IPP), Canada.ⁿ Also at National Institute of Physics and Nuclear Engineering, Bucharest, Romania.^o Also at Department of Physics, St. Petersburg State Polytechnical University, St. Petersburg, Russia.^p Also at Department of Physics, The University of Michigan, Ann Arbor, MI, United States.^q Also at Centre for High Performance Computing, CSIR Campus, Rosebank, Cape Town, South Africa.^r Also at Louisiana Tech University, Ruston, LA, United States.^s Also at Institutio Catalana de Recerca i Estudis Avancats, ICREA, Barcelona, Spain.

- ^t Also at Graduate School of Science, Osaka University, Osaka, Japan.
^u Also at Department of Physics, National Tsing Hua University, Taiwan.
^v Also at Institute for Mathematics, Astrophysics and Particle Physics, Radboud University Nijmegen/Nikhef, Nijmegen, Netherlands.
^w Also at Department of Physics, The University of Texas at Austin, Austin, TX, United States.
^x Also at CERN, Geneva, Switzerland.
^y Also at Georgian Technical University (GTU), Tbilisi, Georgia.
^z Also at Ochanomizu Academic Production, Ochanomizu University, Tokyo, Japan.
^{aa} Also at Manhattan College, New York, NY, United States.
^{ab} Also at Academia Sinica Grid Computing, Institute of Physics, Academia Sinica, Taipei, Taiwan.
^{ac} Also at School of Physics, Shandong University, Shandong, China.
^{ad} Also at Department of Physics, California State University, Sacramento, CA, United States.
^{ae} Also at Moscow Institute of Physics and Technology State University, Dolgoprudny, Russia.
^{af} Also at Section de Physique, Université de Genève, Geneva, Switzerland.
^{ag} Also at Eotvos Lorand University, Budapest, Hungary.
^{ah} Also at Departments of Physics & Astronomy and Chemistry, Stony Brook University, Stony Brook, NY, United States.
^{ai} Also at International School for Advanced Studies (SISSA), Trieste, Italy.
^{aj} Also at Department of Physics and Astronomy, University of South Carolina, Columbia, SC, United States.
^{ak} Also at Institut de Física d'Altes Energies (IFAE), The Barcelona Institute of Science and Technology, Barcelona, Spain.
^{al} Also at School of Physics and Engineering, Sun Yat-sen University, Guangzhou, China.
^{am} Also at Institute for Nuclear Research and Nuclear Energy (INRNE) of the Bulgarian Academy of Sciences, Sofia, Bulgaria.
^{an} Also at Faculty of Physics, M.V.Lomonosov Moscow State University, Moscow, Russia.
^{ao} Also at Institute of Physics, Academia Sinica, Taipei, Taiwan.
^{ap} Associated at Durham University, IPPP, Durham, United Kingdom, United Kingdom.
^{aq} Also at National Research Nuclear University MEPhI, Moscow, Russia.
^{ar} Also at Department of Physics, Stanford University, Stanford, CA, United States.
^{as} Also at Institute for Particle and Nuclear Physics, Wigner Research Centre for Physics, Budapest, Hungary.
^{at} Also at Flensburg University of Applied Sciences, Flensburg, Germany.
^{au} Also at University of Malaya, Department of Physics, Kuala Lumpur, Malaysia.
^{av} Also at CPPM, Aix-Marseille Université and CNRS/IN2P3, Marseille, France.
^{aw} Also affiliated with PKU-CHEP.

* Deceased.